

Emergency Medicine Reports

The Practical Journal for Emergency Physicians

Volume 30

SUPPLEMENT

2009 Subject Index: Volume 30, Numbers 1-26

Entries are organized alphabetically by subject matter and key words, with entries followed by the issue number and page number (e.g., issue number 2, page 20 would be listed as 2:20). Tables are indicated by a lowercase *t*, figures by a lowercase *f*. Supplements are indicated by an uppercase *S* and their report number.

<p>A</p> <p>Abdominal complaints, 4:39</p> <p>Abducens nerve (sixth nerve), 10:114</p> <p>Abnormal sensation, 9:106, 107t</p> <p>Abscesses, anorectal, 26:323-325, 325f</p> <p>Abuse and neglect</p> <ul style="list-style-type: none">alcohol abuse, 17:215child abuse, 17:213, 22:270chronic alcohol abuse, 16:198mandatory reporting laws, 17:217prescription drug abuse, 17:215substance abuse, 17:215 <p>ACA. <i>See</i> Anterior cerebral artery</p> <p>Acalculia, 10:116</p> <p>ACC. <i>See</i> American College of Cardiology</p> <p>Access to Emergency Care Act, 3:20</p> <p>Accidental hypothermia, 5:53-63.</p> <ul style="list-style-type: none"><i>See also</i> Hypothermiadefinition of, 5:54in outdoor setting, 5:59 <p>ACEP. <i>See</i> American College of Emergency Physicians</p> <p>Acetadote™, 25:313</p> <p>Acetaminophen, 25:309</p> <ul style="list-style-type: none">for back pain, 4:42extended-release, 25:314opiate interactions, 25:315pharmacokinetics/pharmacodynamics, 25:310for severe TBI, 22:272tfor subacute and chronic low back pain, 4:43-44 <p>Acetaminophen hepatotoxicity, 25:314</p> <ul style="list-style-type: none">histology of, 25:310risk factors for, 25:310 <p>Acetaminophen overdose, 25:315-316</p> <ul style="list-style-type: none">liver failure due to, 25:310, 314 <p>Acetaminophen toxicity, 25:309-317</p>	<ul style="list-style-type: none">in alcoholics, 25:315clinical presentation of, 25:310-312diagnosis of, 25:312-314differential diagnosis of, 25:311t, 314epidemiology of, 25:309-310pediatric, 25:315pitfalls in management of, 25:313t, 315in pregnancy, 25:314-315prevention of, 25:315prognosis for, 25:315Rumack-Matthew nomogram for, 25:312, 312f, 313in special populations, 25:314-315treatment of, 25:312-314 <p>Acetazolamide, 24:295</p> <p>Acid/base imbalance, 15:187, 189t</p> <p>ACI-TIPI (Acute Cardiac Ischemia Time-Insensitive Predictive Instrument), 14:178</p> <p>ACLS. <i>See</i> Advanced Cardiac Life Support</p> <p>ACS. <i>See</i> Acute coronary syndrome; American College of Surgeons</p> <p>Activated charcoal, 25:310, 312</p> <p>Active core rewarming, 5:61</p> <p>Active external rewarming, 5:61</p> <p>Activity modification, 4:43</p> <p>Acupuncture, 4:44</p> <p>Acute agitation, 19:239</p> <p>Acute aortic dissection</p> <ul style="list-style-type: none">diagnosis of, 12:147thigh-risk clinical features, 12:146-148, 147, 147thow to avoid misdiagnosis as acute MI, 12:145-148, 147tlaboratory test findings, 12:147trisk factors for, 12:147t <p>Acute appendicitis, 6:65-74, 7:77-86</p> <p>Acute cardiac ischemia</p> <ul style="list-style-type: none">ACI-TIPI (Acute Cardiac Ischemia Time-Insensitive Predictive	<ul style="list-style-type: none">Instrument), 14:178how tests can suggest, 12:147t, 149t <p>Acute cardiovascular events, 18:221-231</p> <p>Acute coronary syndrome</p> <ul style="list-style-type: none">definition of, 11:126Level A recommendations for management of, 14:175misdiagnoses, 12:146 <p>Acute loss of vision, 10:114-115</p> <p>Acute myocardial infarction</p> <ul style="list-style-type: none">anatomic location and corresponding ECG changes, 13:161, 162tbenign conditions confused with, 12:149-151dangerous conditions confused with, 12:145-149definition of, 11:126ECG changes in, 13:161, 162t, 164thow to avoid misdiagnosing acute aortic dissection as, 12:147tin LBBB, 13:165-166, Insert Figure 6misdiagnoses, 12:145, 147t, 150tmissed, 11:125-142in RBBB, 13:166, 167fserial ECG diagnosis of, 13:161, 164tST morphology in, 13:161-162, 164fstrategies to reduce risk of, 11:125-142 <p>Acute pericarditis, 13:167-168</p> <p>Acute pulmonary embolism, 12:148-149</p> <p>Acute sensory changes, 9:106-107</p> <p>Acute stress disorder, 17:214</p> <p>Acute stroke, 10:118-121</p> <p>Acyclovir</p> <ul style="list-style-type: none">for herpes simplex, 26:326tfor perianal HSV infection, 26:326 <p>Addiction Research Foundation, 16:200, 202f-203f, 203t</p>
---	---	--

Adenosine, 18:228
Adolescents, 17:209-210
assessment of, 17:209-210
back pain in, 4:47-48
fire-setting by, 17:213
interviewing, 17:210
with psychiatric complaints, 17:209
suicide attempts, 17:211-212
suicide rates, 17:211
Advanced Cardiac Life Support (ACLS)
for drowning, 15:190
recommendations for, 15:189, 191
therapeutic hypothermia protocol, 20:246
Advil (ibuprofen), 4:42
AEDs. *See* Anti-epileptic drugs
Affect, 17:210, 211t
African Americans
children, 17:217
myocardial infarction in, 11:131t, 138
African tick-bite fever, 2:16
African trypanosomiasis (sleeping sickness), 2:20
Agatston Score, 14:179
Aggression
causes of, 19:234
in children, 17:210-211, 212t
Agitation, 19:233-243
acute, 19:239
due to alcohol intoxication, 19:236, 239
approaches to agitated patient, 19:234-236
in children, 17:210-211, 212t
definition of, 19:234
guidelines to help distinguish between psychiatric and medical causes of, 19:234
suggested protocol for, 19:239-241, 240f
treatment of, 19:233, 234
Agraphia, 10:116
AHA. *See* American Heart Association
Air embolism, 24:305
Airway management
Brain Trauma Foundation guidelines for, 22:271
in drowning, 15:190
in hypothermia, 5:60
in severe TBI, 22:269-270, 271
Alaskan Native children and adolescents, 17:211
Albendazole, 26:328
Albumin, ischemia-modified, 14:176
Alcohol abuse
acetaminophen toxicity in, 25:315
in adolescents, 17:215
chronic, 16:198

Alcohol intoxication
agitation due to, 19:236, 239
and hypothermia, 5:54t
Alcohol screen, 5:59
Alcohol withdrawal
major, 16:198, 200t
minor, 16:198, 199t
symptoms of, 16:198-199
Alcohol withdrawal syndrome, 16:197-207
ambulatory treatment of, 16:205
CIWA-Ar guidelines for, 16:200, 203t
complications of, 16:200-201
differential diagnosis of, 16:198, 199t
disposition of, 16:205
evaluation of, 16:199-200
future possibilities for, 16:204-205
major symptoms of, 16:198, 200t
medication dosing for, 16:205
minor symptoms of, 16:198, 199t
pathophysiology of, 16:197-198
prevalence of, 16:197
recommendations for, 16:205-206
seizures in, 16:198
symptoms of, 16:198-199, 199t
treatment of, 16:201-204
Alcoholic hallucinations, 16:198-199
Alcoholic hallucinosis, 16:198-199
Alcoholics Anonymous, 17:215
Aleve (naproxen), 4:42
Allodynia, 9:106
Allopurinol, 8:95-96
Alpha agonists, 22:270
Alpha-2-blockers, 16:204
Altered mental status, 16:199-200, 200t
Alternate pulmonary blood flow, 18:222
Alternate systemic blood flow, 18:222
Alvarado/MANTRELS score, 6:67t, 68
Amaurosis fugax, 10:114
AmBisome (amphotericin B), 2:19
Ambulance diversion, 3:19
Ambulatory treatment, 16:205
American College of Cardiology (ACC)
clinical guidelines for use of serum markers, 14:175
definition of MI, 14:174
recommendations for calcium scoring, 14:179
American College of Emergency Physicians (ACEP)
clinical guidelines for use of serum markers, 14:175
Level A recommendations for management of ACS/nonSTEMI, 14:175

priority objectives, 3:20
American College of Surgeons (ACS), 1:3
American Heart Association (AHA)
Advanced Cardiac Life Support (ACLS) recommendations, 15:189, 191
clinical guidelines, 14:175
definition of ischemic heart disease, 14:175
recommendations for calcium scoring, 14:179
recommendations for cooling, 20:247
American trypanosomiasis (Chagas' disease), 2:20
Aminoglycosides, 8:90, 91t
Amiodarone, 18:228, 229
Amphotericin B (AmBisome)
for leishmaniasis, 2:19
for neutropenic fever, 8:90
Ampicillin, 7:82t
Ampicillin/sulbactam, 7:82t
Amylase, 5:59
Anal fissures, 26:322-323, 324f
Anal hygiene, 26:322
Analgesia
for anal fissures, 26:323
for appendicitis, 7:83
for back pain, 4:42-43
for hemorrhoids, 26:322
for perianal HSV infection, 26:326
for severe TBI, 22:271, 272-273
for subacute and chronic low back pain, 4:43-44
for therapeutic hypothermia, 20:248, 248t, 250
Anesthesia
for anal fissures, 26:323
for anorectal abscess, 26:324
with ischemic cerebrovascular disease, 9:106
for severe TBI, 22:272-273
Aneurysm, left ventricular, 13:168-169, 168t
Angina, 11:132
unstable, 11:126
Angiography
CT, 14:173-183, 177t
"Triple Rule Out" scan, 179-180
Anomalous coronary artery, 11:134-135
Anorectal abscess, 26:323-325, 325f
Anorectal emergencies, 26:321-331
Anorectal infections, 26:325-327
Anorectal trauma, 26:329-330
Anorexia nervosa, 17:215
Anterior cerebral artery, 9:102, 103f
Anterior ischemic optic neuropathy, 10:114

<p>Anterior MI ECG findings, 13:162t, 163 tips for diagnosis by ECG, 13:166t</p> <p>Antibiotics for acute appendicitis, 7:82t, 83 for drowning, 15:191 and hypothermia, 5:61 regimens for febrile neutropenic cancer, 8:90, 91t for severe TBI, 22:273</p> <p>Anticholinergic toxicity, 16:199t</p> <p>Anticoagulation reversal agents, 22:275</p> <p>Anticonvulsants, 22:272t, 273</p> <p>Antidepressants for minors, 17:214-215 for subacute and chronic low back pain, 4:43-44</p> <p>Anti-epileptic drugs, 16:201</p> <p>Antimicrobials, 7:83</p> <p>Anti-pseudomonal aminoglycoside, 7:82t</p> <p>Antipseudomonal penicillin, 8:91t</p> <p>Antipsychotics for alcohol withdrawal syndrome, 16:204 atypical, 19:237, 237t, 238 second-generation, 17:212t, 19:237, 237t</p> <p>Antipyretics, 22:272t, 273-275</p> <p>Anti-thyroid medications, 19:236</p> <p>Anton-Babinski syndrome, 10:117t</p> <p>Anxiety childhood disorders, 17:213-214 generalized anxiety disorder, 17:213-214 as misdiagnosis for acute MI, 12:150t, 151</p> <p>Anxiolytics, 22:271</p> <p>Aorta, overriding, 18:222</p> <p>Aortic dissection how to avoid misdiagnosis as acute MI, 12:145-148, 147t thoracic, 12:145-148</p> <p>Aortic stenosis critical, 18:222 diagnostic findings, 18:224t physical examination for, 18:223 timing of presentation of, 18:225f</p> <p>Aphasia, 10:115-116</p> <p>Apical ballooning syndrome (Takotsubo syndrome), 11:136</p> <p>Apnea, PGE1-associated, 18:225-226</p> <p>Appearance assessment of, in children and adolescents, 17:210, 211t in back pain, 4:40</p> <p>Appendectomy laparoscopic, 7:83 surgical, 7:83-84</p>	<p>Appendiceal rupture, 7:83</p> <p>Appendicitis, acute, 6:65-74, 7:77-86 antibiotic options for, 7:82t, 83 in children, 7:77-78 clinical presentation of, 6:66-68 complications of, 7:82-83 CT findings in, 6:68-69, 68t diagnostic strategy for, 6:68 differential diagnosis of, 7:80-81, 81-82 disposition, 7:84 in elderly, 7:77-81 epidemiology of, 6:65-66 imaging, 6:68-72 inflammatory markers, 7:81 management of, 7:83-84 mimics, 7:81t moderate, 6:69f MRI of, 6:68-69, 72 pathophysiology of, 6:66 Pediatric Appendicitis Score, 6:67t, 68 perforated, 6:71f scoring systems, 6:68 signs and symptoms of, 6:67 in special populations, 7:77-81 treatment of, 7:83-84 ultrasound of, 6:72, 72f in women, 7:78-81</p> <p>Appendicolith, 6:70f, 71f</p> <p>Appendix anatomy of, 6:66 location of, during pregnancy, 7:79, 79f, 80f non-visualization of, on CT, 6:70-71</p> <p>Apraxia, 10:116</p> <p>Aripiprazole for agitation, 19:237 for agitation/aggression in children, 17:212t</p> <p>Arrhythmia diagnostic studies, 18:228 epidemiology and etiology of, 18:228 history of, 18:228 in infants, 18:228-229 management of, 18:228</p> <p>Arrival at ER and ER environment, 17:209-210</p> <p>ART. <i>See</i> Assisted reproductive treatment</p> <p>Arterial blood gas in cyanotic infants, 18:223-224 in hypothermia, 5:59</p> <p>ASD. <i>See</i> Atrial septal defects</p> <p>Asian American children, 17:217</p> <p>Asians, 11:138</p> <p>Aspiration, 16:201</p> <p>Assessment of children and adolescents, 17:209-</p>	<p>210</p> <p>FAST (Focused Assessment with Sonography for Trauma), 1:5</p> <p>Assisted reproductive treatment and ectopic pregnancy, 23:281, 282 and heterotopic pregnancy, 23:287</p> <p>Ataxia, 9:107-109</p> <p>Ativan, 19:233</p> <p>Atrial septal defects, 18:222-223 diagnostic findings, 18:224t timing of presentation of, 18:225f</p> <p>Atropine, 22:270</p> <p>Attention deficit and disruptive disorders, 17:214</p> <p>Attention-deficit/hyperactivity disorder, 17:214</p> <p>Atypical antipsychotics, 19:237, 237t, 238</p> <p>Aware, Agreement, Adoption, Adherence model, 20:252</p> <p>AWS. <i>See</i> Alcohol withdrawal syndrome</p> <p>Azithromycin for chancroid, 26:326, 326t for Chlamydia, 26:325, 326t for gonorrhea, 26:325-326, 326t</p> <p>B</p> <p>Back pain, 4:37-50 age of patient, 4:38 associated neurological deficits with, 4:39 atypical features with, 4:38-39 in cancer patients, 4:47 in children and adolescents, 4:47-48 clinical presentation of, 4:37-38 computed tomography for, 4:41-42 diagnostic studies with, 4:41 duration of symptoms, 4:38 epidemiology of, 4:37 history in, 4:38-39 history of cancer with, 4:39 history of trauma in, 4:38 laboratory tests to consider for, 4:41 location of, 4:38 magnetic resonance imaging (MRI), 4:41 management of, 4:42-43 neurologic examination with, 4:40 non-organic, 4:40-41 physical examination for, 4:39-40, 40 plain radiography with, 4:41 radiation of, 4:38 rectal examination with, 4:40 red flags, 4:38, 39t systemic complaints with, 4:38 urinary, abdominal, or chest complaints with, 4:39</p>
--	---	---

“Back school,” 4:43
Baclofen, 16:203, 206
Bacteroides
in acute appendicitis, 6:66
in anorectal abscess, 26:323
Bacteroides fragilis, 26:323
Bactrim (trimethoprim/sulfamethoxazole), 2:18
Baghdad boil, 2:18
Balint syndrome, 10:116, 117t
Barbiturates
for alcohol withdrawal syndrome, 16:204
and hypothermia, 5:54t, 61
for RSI, 22:270
for severe TBI, 22:272-273
Basilar artery thromboses, 10:116, 117t
Bedside glucose, 5:58
Bedside registration, 3:17-18
Behavior
examination of children for, 17:210, 211t
suicidal, 17:211-213
threatening, 19:235
violent and aggressive, 17:210-211
Behavioral therapy
for generalized anxiety in children, 17:214
for subacute and chronic low back pain, 4:43
Benign early repolarization, 13:166-167, 168t, Insert Figure 7
Benzathine penicillin, 26:326t, 327
Benzodiazepines
for agitation/aggression in children, 17:212t
for alcohol withdrawal syndrome, 16:198, 201, 206
for delirium tremens, 16:199
dosing, 16:205
for generalized anxiety disorder in children and adolescents, 17:214
for panic attacks in children, 17:213
for RSI, 22:270
for severe TBI, 22:273
for shivering, 20:248, 250
for substance withdrawal, 19:236
Beta-blockers (β-blockers)
for alcohol withdrawal syndrome, 16:203-204
for infants with SVT, 18:228-229
for thyroid storm, 19:236
Beta-hCG levels, 23:283-285
β-lactamase inhibitors, 15:191
Biltricide (praziquantel), 2:18
Biomarkers
limits of, 14:173-183
serum cardiac markers, 14:173-174
Bipolar disorder, 17:215

Birth, 18:221
Bisphosphonates, 8:93, 93t
Blacks. *See* African Americans
Bleeding. *See also* Hemorrhage sites and associated volumes of blood loss, 1:5, 6t
tracheostomy, 24:300
Blindness
cortical, 10:115
sudden, 10:114-115
Blood flow
alternate pulmonary blood flow, 18:222
alternate systemic blood flow, 18:222
fetal, 18:221, 223f
total mixing lesions with abnormal pulmonary blood flow, 18:223
Blood loss, 1:5, 6t
Blood pressure management
in acute stroke, 10:118-120
in severe TBI, 22:271
Blood transfusion
massive, 1:6-7
packed red blood cells, 1:6-7, 18:228
BNP. *See* B-type natriuretic peptide
Boarders
definition of, 3:13
solutions to (treatment), 3:17
Bowel perforation, 26:330
Brain attack, 9:101
Brain injury
prevention of, 22:269
secondary, 22:269
traumatic, 21:257-267
Brain metastasis, 8:92-93
Brain tissue oxygen monitoring, 22:271
Brain Trauma Foundation (BTF)
Guidelines for Prehospital Management of Traumatic Brain Injury, 21:259
Guidelines for the Management of Severe Traumatic Brain Injury, 22:271-273
Brainstem, 9:103, 105f
Brainstem Reflex Score (BRS), 20:252
Branch retinal artery occlusion, 10:114
BRAO. *See* Branch retinal artery occlusion
Breathing management
Brain Trauma Foundation guidelines for, 22:271
in hypothermia, 5:60
rescue breathing, 15:189
in severe TBI, 22:270, 271
British Columbia Medical

Association, 3:19
Broviac catheter, 24:303
BRS. *See* Brainstem Reflex Score
Brugada syndrome, 13:168t, 169, Insert Figure 9
BTF. *See* Brain Trauma Foundation
B-type natriuretic peptide, 14:176
Bulimia nervosa, 17:215
Burr holes
for CSF shunt malfunction, 24:295
for severe TBI, 22:275
Buspirone, 20:248, 250
Button (BARD®) gastrostomy, 24:302t
BZDs. *See* Benzodiazepines
C
Calcitonin, 8:93-94, 93t
Calcium phosphate precipitates, 24:305t
Calcium scores, 14:178-179
Cancer
back pain in, 4:39, 47
fever in neutropenic cancer patients, 8:89-90
oncologic emergencies, 8:89-98
with sepsis, 8:89, 91t
Capsaicin, 26:328
Capsfungin, 8:90
Carbamazepine, 16:201-203, 205, 206
Carbapenem, 8:91t
Carbon monoxide, 5:54t
Cardiac arrest, 20:246
Cardiac catheterization
negative result, 12:153t, 154-155
recent, 12:153-154, 153t
Cardiac CT scans, 14:177t, 178
Cardiac ischemia
ACI-TIPI (Acute Cardiac Ischemia Time-Insensitive Predictive Instrument), 14:178
acute, 12:147t, 149t
Cardiac markers
elevation over time, 14:174, 175f
serum, 14:173-174, 175-176, 176-177, 176t
Cardiac tamponade, 1:7-8
neoplastic, 8:96
Cardiac troponin I (CTnI), 14:173, 174, 175f
Cardiac troponin T (CTnT), 14:173, 174, 175f
Cardiac troponins
in acute aortic dissection, 12:147t
in acute PE, 12:149, 149t
elevated, 14:174-175
single, 14:176, 176t
Cardiogenic shock, 1:8
Cardiopulmonary resuscitation

<p>contraindications to, 5:60 in hypothermia, 5:60</p> <p>Cardiovascular system acute events, in infants, 18:221-231 dysfunction in drowning, 15:187, 189t signs of hypothermia, 5:58, 60</p> <p>Catheter infection, 24:305-306</p> <p>Catheterization, cardiac, 12:153-154, 153t</p> <p>Catheters central venous catheters, 24:303, 304f Foley catheters, 5:61 indwelling venous access devices, 24:303-306 partially implantable venous devices, 24:303</p> <p>CBT. <i>See</i> Cognitive behavioral therapy</p> <p>CBZ. <i>See</i> Carbamazepine</p> <p>Cefepime for acute appendicitis, 7:82t for neutropenic fever, 8:90, 91t</p> <p>Cefixime for anorectal gonorrhea, 26:325-326 for gonorrhea, 26:326t</p> <p>Ceftazidime, 8:90, 91t</p> <p>Ceftriaxone (Rocephin) for chancroid, 26:326, 326t for gonorrhea, 26:325-326, 326t for severe TBI, 22:273 for typhoid fever, 2:18</p> <p>Cefuroxime, 22:273</p> <p>Center for Resuscitation Science (University of Pennsylvania), 20:252</p> <p>Centers for Medicare & Medicaid Services (CMS), 3:20</p> <p>Central nervous system, 5:57, 58</p> <p>Central pontine myelinolysis, 16:201</p> <p>Central retinal artery occlusion, 10:114, 115</p> <p>Central venous catheters, 24:303, 304f air embolism with, 24:305 assessment for mechanical obstruction, 24:303-304 breakage, 24:304 displacement of, 24:304-305 indications for, 24:303 infection of, 24:305-306 management of non-thrombotic occlusions, 24:304-306, 305t management of thrombotic occlusions, 24:304 occlusion of, 24:303 types of, 24:303</p> <p>Cephalosporin, 24:295</p> <p>Cerebellar degeneration, 16:201</p> <p>Cerebellum, 9:103, 105f</p>	<p>Cerebral ischemia focal, 9:102 global, 9:102 pathophysiology of, 9:102</p> <p>Cerebral oxygenation, 22:271</p> <p>Cerebral perfusion pressure definition of, 21:258 in severe TBI, 22:271</p> <p>Cerebromedullospinal disconnection, 10:117t</p> <p>Cerebrospinal fluid shunt, 24:295f aspiration of, 24:295 components, 24:293-294, 295f</p> <p>Cerebrospinal fluid shunt malfunction, 24:293-295 abdominal causes of, 24:294 case study, 24:293 causes of, 24:294, 296t-297t clinical features of, 24:294 diagnostic studies, 24:294-295 epidemiology of, 24:294 examination of, 24:294 infectious causes of, 24:294 management of, 24:295 pathophysiology of, 24:294 pearls and pitfalls of, 24:295 signs and symptoms of, 24:294, 298t</p> <p>Cerebrovascular anatomy, 9:103, 103f, 104f</p> <p>Cerebrovascular disease, ischemic, 9:101-110, 10:113-123</p> <p>Cervical collars, 15:191</p> <p>Cervical ectopic pregnancy, 23:281</p> <p>Cesarean scar pregnancy, 23:289</p> <p>Chagas' disease (American trypanosomiasis), 2:20</p> <p>Chancroid, 26:326, 326t</p> <p>CHD. <i>See</i> Congenital heart disease</p> <p>Chemical dependence treatment, 17:215</p> <p>Chemical restraints for children, 17:211 options for, 19:236</p> <p>Chest pain in acute MI, 11:132 in back pain, 4:39 cocaine chest pain, 11:131t, 136-137 CT angiography for, 14:177t CT evaluation of, 14:179-180 descriptions of, 11:132 musculoskeletal, 12:150-151, 150t non-cardiac, 12:145, 146 Vancouver Chest Pain Rule, 14:178</p> <p>Chest pain units (CPUs), 14:177</p> <p>Chest x-ray (CXR) in CHD, 18:223, 224t in CHF, 18:227</p> <p>Child abuse and neglect, 17:213 mandatory reporting laws, 17:217 in severe TBI, 22:270</p>	<p>Child Abuse Prevention and Treatment Act, 17:217</p> <p>Child Protective Services (CPS), 17:216</p> <p>Children acute appendicitis in, 7:77-78 agitation/aggression in, 17:210-211, 212t arrival at ER and ER environment, 17:209-210 assessment of, 17:209-210 back pain in, 4:47-48 delirium in, 17:210, 216 disposition, 17:217 drownings, 15:186, 187f H1N1 infection in, October 2009 Special Supplement 2 hospitalization rates for, 17:217 interviewing, 17:210 legal issues, 17:216-217 major depression in, 17:210 medical illnesses that may present with psychiatric manifestations in, 17:216 with mental health issues, 17:209-219 mental status examination of, 17:210, 211t presenting clinical syndromes in, 17:210-213 psychiatric complaints from, 17:209 psychiatric disorders in, 17:213-215 psychiatric interview of, 17:210 rapid sequence intubation in, 22:270 runaways, 17:213 suicide attempts, 17:211-213 technology-assisted, 24:293-307 violent and aggressive behaviors in, 17:210-211</p> <p>Children Crisis Response Teams, 17:217</p> <p>Chlamydia anorectal, 26:325 treatment of, 26:326t</p> <p>Chlamydia pneumoniae, 11:130</p> <p>Chlamydia proctitis, 26:325</p> <p>Chlordiazepoxide for alcohol withdrawal syndrome, 16:205 dosing, 16:205</p> <p>Cholera, 2:21</p> <p>Cholesterol, 11:129-130, 131</p> <p>Chronic alcohol abuse, 16:198</p> <p>Chronic low back pain, 4:43-44</p> <p>Chronic schistosomiasis, 2:18, 18t</p> <p>Cigarette smoking and coronary artery disease, 11:127t, 129-130, 130-131 and ectopic pregnancy, 23:282</p> <p>Cilastatin/imipenem, 8:91t</p>
--	--	---

Ciprofloxacin

for acute appendicitis, 7:82t
for chancroid, 26:326, 326t

Circulation

Brain Trauma Foundation guidelines for, 22:271
fetal, 18:221, 223f
in hypothermia, 5:60
neonatal, 18:221
in severe TBI, 22:270-271, 271

CIWA-Ar (Clinical Institute Withdrawal Assessment-Alcohol),
16:200, 202f-203f, 203t**CK-MB.** *See* Creatine kinase-MB**Clavulanate/ticarcillin**

for acute appendicitis, 7:82t
for neutropenic fever, 8:91t

Clindamycin, 15:191**Clinical Institute Withdrawal Assessment-Alcohol (CIWA-Ar),**
16:200, 202f-203f, 203t**Clonidine**

for alcohol withdrawal syndrome, 16:206
for shivering, 20:250

Clostridium tetani, 26:330**Clothing,** 5:55, 55t**Clumsy hand syndrome,** 10:117t**COA.** *See* Coarctation of the aorta**Coagulation studies,** 5:59**Coarctation of the aorta (COA),**
18:222

diagnostic findings, 18:224t
physical examination for, 18:223
timing of presentation of, 18:225f

Cocaine chest pain, 11:131t, 136-137**Cognitive behavioral therapy**

for generalized anxiety in children, 17:214
for major depression in minors, 17:214-215
for OCD in children, 17:214
for substance abuse in adolescents, 17:215

Cold diuresis, 5:57**Cold stress,** 5:54**Coma,** 20:247**Coma scales,** 21:260, 260t, 263**Community violence,** 19:235**Complete blood count,** 5:58**Compression deformity,** 4:43, 46f**Computed tomography**

of acute appendicitis, 6:68-69, 68t, 69f, 70f
of acute appendicitis in children, 7:78
of acute appendicitis in elderly, 7:77
of anorectal trauma, 26:329-330
of appendicitis, 6:71-72
appendix non-visualization, 6:70-71

of appendix perforation, 6:68t
of back pain, 4:41-42
cardiac scans, 14:177t, 178
of chest pain, 14:179-180
coronary imaging, 14:178-179
future directions, 180
of ischemic cerebrovascular disease, 10:116-117, 121f
multidetector-row CT (MDCT), 14:178, 179
during pregnancy, 7:80
radiation exposure risks, 14:177t, 178
of severe TBI, 21:263-264, 263f, 264-265
single head scans, 14:178
single-photon emission computed tomography (SPECT), 180

Computed tomography angiography,
14:179

bottom line for, 180
for chest pain, 14:177t
indications for, 180
limits of, 14:173-183, 177t
recommendations for, 180
“Triple Rule Out” scan, 179-180

Conduct disorder, 17:214**Conduction,** 5:55**Condylomata acuminata warts,**
26:326-327**Confidentiality,** 17:216**Congenital heart disease,** 18:221-222

acute issues in infants with, 18:226-227
complications of, 18:226
diagnostic findings for, 18:223-224, 224t
epidemiology and etiology of, 18:221-222
operative management of, 18:226-227
physical examination for, 18:223-224, 224t
timing of presentation of, 18:222, 225f

Congestive heart failure, 18:227-228

diagnostic studies, 18:227
disposition, 18:228
epidemiology and etiology of, 18:227, 227t
history of, 18:227
in infants, 18:222
management of, 18:228
physical examination of, 18:227
timing of presentation of, 18:225f

Consent

definition of, 17:216
for minors, 17:216

Contrast, 6:70**Contusion,** 21:263f**Convection,** 5:55**Cooling.** *See also* Therapeutic hypothermia

avoiding overcooling, 20:249-250, 250t
external options, 20:249, 249t
external water cooling system temperature control, 20:249, 250f
external water cooling wraps, 20:249, 249f
internal options, 20:249, 249t
rapid, 20:248t, 249
recommendations for, 20:247

Corcath central line, 24:303**Core rewarming, active,** 5:61**Core temperature,** 5:58, 60**Cornual (interstitial) ectopic pregnancy,** 23:281**Coronary artery**

anomalous, 11:134-135
CT coronary angiography, 14:179, 180
CT imaging of, 14:178-179

Coronary artery disease

pathophysiology of, 11:129
risk factors for, 11:127t, 129-132

Coronary lesions, 11:128f, 129**Cortical blindness,** 10:115**Corticosteroids,** 4:43**Cost of care**

costly or low-yield solution to crowding, 3:17-19
crowding and, 3:16
low cost/high yield solution to crowding, 3:17

COX-2 inhibitors, 4:42**Coxiella burnetii,** 2:17**CPM.** *See* Central pontine myelinolysis**CPP.** *See* Cerebral perfusion pressure**CPR.** *See* Cardiopulmonary resuscitation**CPS.** *See* Child Protective Services**CPUs.** *See* Chest pain units**Cranial nerve III (oculomotor nerve),** 10:114**Cranial nerve IV (trochlear nerve),**
10:114**Cranial nerve VI (abducens nerve),**
10:114**CRAO.** *See* Central retinal artery occlusion**C-reactive protein,** 14:176-177**Creatine kinase,** 5:59**Creatine kinase-MB (CK-MB),**
14:173

elevation over time, 14:174, 175f

Crohn's disease, 7:82**Crowding**

British answer to, 3:19

causes of, 3:14-15
complications of, 3:15-17
costly or low-yield solution to
crowding, 3:17-19
definition of, 3:13
emergency department, 3:13-23
epidemiology of, 3:13-14
low cost/high yield solution to, 3:17
pathophysiology of, 3:14-15
prognosis for, 3:20
solutions to (treatment), 3:17-19
U.S. efforts, 3:19-20

CRP. *See* C-reactive protein

CSF. *See* Cerebrospinal fluid

CT. *See* Computed tomography

CTA. *See* Computed tomography
angiography

CTnI. *See* Cardiac troponin I

CTnT. *See* Cardiac troponin T

Cultural issues, 17:217

Custody, legal, 17:216

CVCs. *See* Central venous catheters

Cyanosis

central, 18:224

in infants, 18:223-224

in neonates, 18:224-226

peripheral, 18:224-225

timing of presentation of, 18:225f

Cyanotic spells, 18:222

Cyclobenzaprine (Flexeril), 4:42

Cytotec (misoprostol), 4:42

D

D2 receptor, 19:235

DAI. *See* Diffuse axonal injury

DC cardioversion, 18:228

D-dimer levels

in acute aortic dissection, 12:147,
147t

in acute PE, 12:149

Deep tendon reflexes, 9:106t

Defibrillation, 5:60

Degenerative disk disease, 4:43, 44f,
45f

Dejerine-Roussy syndrome, 9:106

Dejerine-Roussy thalamic syndrome,
10:117t

Delaying elective surgery, 3:18

Delays in care, 3:15-16

Delirium

causes of, 17:216

in pediatric patients, 17:210

Delirium tremens, 16:198, 199, 200t

Dementia-related psychosis, 19:236

Dengue fever, 2:15-16

diagnosis of, 2:16

diagnostic criteria for, 2:16, 16t

pathology of, 2:15-16

signs and symptoms of, 2:16

treatment of, 2:16

Dependence

Addiction Research Foundation,
16:200, 202f-203f, 203t

alcohol withdrawal syndrome,
16:197-207

chemical dependence treatment,
17:215

Depression, major, 17:210, 214-215

Dermatologic system, 5:58

DES. *See* Diethylstilbestrol

Deviance, 3:20

Dexamethasone

for CSF shunt malfunction, 24:295

for epidural compression syndrome,
4:46

for malignant spinal cord compres-
sion, 8:92

for malignant-related SVC syn-
drome, 8:97

Dexmedetomidine

for alcohol withdrawal syndrome,
16:205

for shivering, 20:250

Dextromethorphan abuse, 17:215

Diabetes

acute MI in, 11:131t, 133

and coronary artery disease, 11:127t,
129-130, 130-131, 131-132

Diazepam (Valium)

for alcohol withdrawal syndrome,
16:201, 206

for back pain, 4:42

Diet

for anal fissures, 26:323

for hemorrhoids, 26:322

Diethylstilbestrol, 23:282

Diffuse axonal injury, 21:264-265

Diffusion-weighted imaging, 10:117-
118

Digital rectal examination

in acute appendicitis, 6:67-68

in anorectal trauma, 26:329

Digoxin, 18:228-229

Diiodohydroxyquin, 26:326t, 327

Diplopia, 10:113-114

Discharge, early, 3:17

Discharge units, 3:19

Disruptive disorders, childhood,
17:214

Distraction, 4:41t

Distributive/septic shock, 1:9

Diuresis, cold, 5:57

Divalproex sodium, 16:203

Diverticulitis, right-sided, 7:82

Diving reflex, 15:186-187, 18:228

Dix-Hallpike maneuver, 9:106t

Dizziness, 9:103-106

Dobutamine, 18:226

Dopamine, 18:226

Dopamine D2 receptor, 19:235

Doripenem, 7:82t

Double decidual sign, 23:283, 283f

Doxycycline

for Chlamydia, 26:325, 326t

for lymphogranuloma venereum,
26:325, 326t

for Q fever, 2:17

DRE. *See* Digital rectal examination

Droperidol, 19:239

Drowning

clinical presentation of, 15:187-189

definition of, 15:185-186

differential diagnosis of, 15:187-189

dry, 15:186

dysrhythmia from submersion,
15:187, 189f

ED disposition, 15:192-193

epidemiology of, 15:186

factors associated with favorable

prognosis after, 15:191, 192t

management of, 15:189-191, 190f

multi-system dysfunction in, 15:187,
189t

pathophysiology of, 15:186-187

pediatric deaths from, 15:186, 187f

prevention of, 15:193

process of, 15:187, 188f

prognosis for, 15:191-192

risk factors for, 15:186

wet, 15:186, 188f

Drug abuse, 17:215

Drug precipitates, 24:305t

Drug-induced psychosis, 16:199t

Drugs. *See* Medications; specific drugs

Dry drowning, 15:186

DT. *See* Delirium tremens

Ductal-dependent lesions, 18:222

Ductus arteriosus, 18:222

for alternate pulmonary blood flow,
18:222

for alternate systemic blood flow,
18:222

patent ductus arteriosus, 18:222-223,
225f

DWI. *See* Diffusion-weighted imaging

Dysarthria, 10:115-116, 117t

Dysmetria, 9:106t

Dyspnea, 12:150t

Dysrhythmia

in alcohol withdrawal syndrome,
16:201

from submersion, 15:187, 189f

Dystonia, 19:235

Dystonic reaction, 19:235

E

Early discharge, 3:17

Early repolarization, benign, 13:166-

167, 168t, Insert Figure 7
East African trypanosomiasis, 2:20
Eating disorders, childhood, 17:215
Ebola fever, 2:21
Ectopic pregnancy, 23:281-290, 284f, 286f
 bilateral, 23:287-289
 cervical, 23:281
 clinical features of, 23:282-283
 cornual (interstitial), 23:281
 diagnostic algorithm for suspicion of, 23:288f
 diagnostic studies, 23:283-285
 differential diagnosis of, 7:82
 double decidual sign, 23:283, 283f
 with fetal pole, 23:283, 286f
 after hysterectomy, 23:287
 incidence of, 23:281
 intradecidual sign, 23:283, 284f
 management of, 23:285
 medical management of, 23:285-286
 pathophysiology of, 23:281
 ring sign of, 23:283, 285f
 risk factors for, 23:281-282, 282t
 sites of, 23:281, 282
 surgical management of, 23:286
 tubal, 23:283, 285f
ED. *See* Emergency Department
EDH. *See* Epidural hematoma
EDT. *See* Emergency department thoracotomy
Elderly
 appendicitis in, 7:77
 MI in, 11:131t, 133-134
 severe TBI in, 22:275
Elective surgery, 3:18
Electrical cardioversion, 18:228
Electrocardiography, 13:161-171
 in acute aortic dissection, 12:146, 147t
 in acute MI, 13:161, 162t, 164t
 in acute PE, 12:148-149, 149t
 in CHD, 18:223, 224t
 in CHF, 18:227
 difficult-to-detect MIs on, 13:164-166, 168t
 in hypothermia, 5:59
 LVH with strain pattern, 13:Insert Figure 8
 in MI, 13:161, 163-164, 163f
 MI misdiagnoses, 13:161, 164t
 normal parameters from birth to 1 year, 18:223, 226t
 STEMI diagnosis tips, 13:166t
 STEMI mimics, 13:166-169, 168t
 strategies to reduce risk of missing MI, 13:161-171
 in therapeutic hypothermia, 20:251
Electrolytes, serum, 5:58
Elevation, head of bed, 22:275

Emergency department
 bedside registration, 3:17-18
 crowding in, 3:13-23
 enlarging, 3:19
 fast track, 3:17-18
 four-hour rule for, 3:19
 full capacity protocol for, 3:17
 the myth of the unnecessary visit, 3:14
 patient flow, 3:18-19
 process changes that may improve flow, 3:18-19, 18t
 recommended length of stay in, 3:19
 schedule, 3:17
 visits to, 3:15
 wait times, 3:15-16
Emergency department thoracotomy, 1:7
Emergency medical services (EMS), 3:19
Emergency room, 17:209-210
Emergency transfer, 1:9
EMS. *See* Emergency medical services
Encephalitis
 distinguishing features of, 16:199t
 West Nile encephalitis, 2:19-20
Endocardial cushion defect, 18:222-223, 225f
Endovascular therapy, 10:118
End-tidal carbon dioxide (ETCO₂) monitoring, 21:261
Entamoeba histolytica, 26:326t, 327
Enteral feeding tube complications
 case study, 24:301
 emergency management of, 24:301-303
Epidural compression syndrome, 4:45-46
Epidural hematoma, 21:259f, 263f, 264
Epinephrine, 18:226
EPS. *See* Extrapyraximal symptoms
Ertapenem, 7:82t
Erythromycin, 26:326, 326t
Escherichia coli
 in acute appendicitis, 6:66
 in anorectal abscess, 26:323
 in catheter infection, 24:305
 in spinal infection, 4:47
ETCO₂ monitoring. *See* End-tidal carbon dioxide monitoring
Ethanol, 24:305t
Ethnic minorities, 17:217
Etomidate, 22:270, 271t
Etoposide, 24:305t
European Society of Cardiology, 14:174
Evaporation, 5:55-56
Exercise testing, 12:151-153
 contraindications to, 12:151, 152t

limits of utility, 12:152, 152t
 prognostic value, 12:152t
Exposures, 5:54t
External cooling, 20:249, 249t
External rewarming
 active, 5:61
 passive, 5:61
External water cooling system temperature control, 20:249, 250f
External water cooling wraps, 20:249, 249f
Extrapyraximal symptoms, 19:235

F

Faget's sign, 2:19
Famcyclovir, 26:326, 326t
Family history, 11:127t, 129-130, 131
FAST (Focused Assessment with Sonography for Trauma), 1:5
Fast track, 3:18
Feeding tubes
 enteral feeding tube complications, 24:301-303
 gastrostomy tubes, 24:301-302, 301f, 302t
Fentanyl
 recommended RSI strategy for severe TBI, 22:270, 271t
 for severe TBI, 22:270, 271t, 273
 for shivering in therapeutic hypothermia, 20:248, 248t, 250
Fetal blood flow, 18:221, 223f
Fetal pole, 23:283, 286f
Fever
 dengue fever, 2:15-16
 Ebola fever, 2:21
 Katayama fever, 2:17
 Lassa fever, 2:21
 Marburg fever, 2:21
 in neutropenic cancer, 8:89-90
 Q fever, 2:17
 spotted fevers, 2:16
 typhoid fever, 2:18
 viral hemorrhagic fevers, 2:20-21
 yellow fever, 2:19
Fibrin, 5:59
Fibrin split products, 5:59
Finger agnosia, 10:116
Finger-nose, heel-shin examination maneuver, 9:106t
Finley, Carlos, 2:19
Fire play, 17:213
Fire-setting, 17:213
First Responders, 5:59
Fistula, tracheocutaneous, 24:301
Flea-borne spotted fever, 2:16
Flexeril (cyclobenzaprine), 4:42
Fluids
 for cholera, 2:21

<p>for hemorrhoids, 26:322 hypertonic resuscitation, 21:261 for TBI, 21:261, 22:270 for tumor lysis syndrome, 8:95</p> <p>Fluoroquinolones for drowning, 15:191 for gonorrhea, 26:325-326</p> <p>Focused Assessment with Sonography for Trauma (FAST), 1:5</p> <p>Focused neurological examination, 4:40, 40t</p> <p>Folate, 16:204</p> <p>Foley catheter, 5:61</p> <p>Folinic acid (leucovorin), 23:286</p> <p>Forced air rewarming, 5:61</p> <p>FOUR (Full Outline of UnResponsiveness) Score coma scale, 21:260t, 263</p> <p>Four-hour rule, 3:19</p> <p>Fourth nerve (trochlear nerve), 10:114</p> <p>Fresh frozen plasma, 22:272t</p> <p>Full capacity protocol, 3:17</p> <p>Full Outline of UnResponsiveness (FOUR) Score coma scale, 21:260t, 263</p> <p>Fulminant hepatic failure, 25:311t, 314</p> <p>Furosemide for CHF, 18:228 for elevated ICP, 8:92 for hypercalcemia in malignancy, 8:93, 93t</p>	<p>types of, 24:301-302, 302t</p> <p>Gaze, dysconjugate, 9:105</p> <p>GCS. <i>See</i> Glasgow Coma Scale</p> <p>Generalized anxiety disorder, childhood, 17:213-214</p> <p>Genitourinary system appendicitis mimics, 7:81t signs of hypothermia, 5:58</p> <p>Gentamicin, 15:191</p> <p>Geodon (ziprasidone), 19:237t</p> <p>GERD (gastroesophageal reflux disease), 12:149-150, 150t</p> <p>Gerstmann syndrome, 10:116, 117t</p> <p>GHB. <i>See</i> Gamma-hydroxybutyric acid</p> <p>Glasgow Coma Scale (GCS), 20:252, 21:260, 260t, 262-263</p> <p>Glucocorticoids for hypercalcemia in malignancy, 8:93t, 94 for subacute and chronic low back pain, 4:43</p> <p>Glucose for alcohol withdrawal syndrome, 16:204 bedside, in hypothermia, 5:58 for hypoglycemia, 19:236 for hypoglycemia in infants, 18:224</p> <p>Glucose control for severe TBI, 22:274f, 275 for therapeutic hypothermia, 20:251</p> <p>“Golden hour,” 1:2</p> <p>Goldman protocol, 14:173, 177</p> <p>Gonorrhea anorectal infection, 26:325-326 treatment of, 26:326t</p> <p>GP. <i>See</i> Gabapentin</p> <p>Granuloma, 24:300</p> <p>Groshong catheter, 24:303</p> <p>Guidelines for Prehospital Management of Traumatic Brain Injury (Brain Trauma Foundation), 21:259</p>	<p>Hallucinations alcoholic, 16:198-199 in children, 17:215</p> <p>Haloperidol for agitation, 19:236-238, 240f, 241 for agitation due to alcohol intoxication, 19:239 for agitation/aggression in children, 17:212t for alcohol withdrawal syndrome, 16:204 for chemical restraint, 19:236-238 mechanism of action, 19:236 properties of, 19:236</p> <p>Head injury. <i>See</i> Traumatic brain injury</p> <p>Head of bed elevation, 22:275</p> <p>Health Insurance Portability and Accountability Act (HIPAA), 17:216</p> <p>Heart disease congenital, 18:221-222, 223-224, 224t, 225f ischemic, 14:175</p> <p>Heart failure congestive, 18:225f, 227-228 in infants, 18:227, 227t</p> <p>Heart sounds, 18:223, 224t</p> <p>Heat moisture exchangers, 24:299</p> <p>Heated lavage, 5:61-62</p> <p>HEENT, 5:58</p> <p>Heimlich maneuver, 15:189</p> <p>Hematoma epidural, 21:259f, 263f, 264 subdural, 21:263f, 264</p> <p>Hemi-neglect, 10:116</p> <p>Hemorrhage. <i>See also</i> Bleeding classes of, 1:5, 5t identification of, 1:5 intraparenchymal, 21:263f, 264 management of, 1:5-6 sites and associated volumes of blood loss, 1:5, 6t subarachnoid, 13:168t, 169, 21:263f, 264</p> <p>Hemorrhagic fevers, viral, 2:20-21</p> <p>Hemorrhagic shock, 1:5, 5t</p> <p>Hemorrhagic/hypovolemic shock, 1:5</p> <p>Hemorrhoids, 26:321-322, 323f external, 26:322, 324f internal, 26:321, 323f</p> <p>Heparin, 24:305t</p> <p>Hepatic failure, fulminant, 25:311t, 314</p> <p>Hepatotoxicity, acetaminophen, 25:309-310, 314</p> <p>Hermed catheter, 24:303</p> <p>Herniation herniated disk, 4:44-45 in TBI, 21:261</p>
<p>G</p> <p>Gabapentin, 16:204, 206</p> <p>Gait instability/ataxia in ischemic cerebrovascular disease, 9:107-109 tandem gait, 9:106t</p> <p>Gamma-hydroxybutyric acid, 16:204</p> <p>Gastric ulceration, 24:302-303</p> <p>Gastroenteritis, 7:81-82</p> <p>Gastroesophageal reflux disease, 12:149-150, 150t</p> <p>Gastrointestinal system appendicitis mimics, 7:81t signs of hypothermia, 5:58</p> <p>Gastrostomy tubes, 24:301, 301f anatomy and pathophysiology of, 24:301-302 complications of, 24:302 emergency care, 24:303 indications for, 24:301 leaking, 24:302 obstruction of, 24:302 pearls and pitfalls, 24:303 stomal complications of, 24:303</p>	<p>H</p> <p>H1N1 infection anatomy of an outbreak, June 2009 Special Supplement 1-2 risks, October 2009 Special Supplement 1-2 timeline, June 2009 Special Supplement 2t</p> <p>H1N1 vaccine, October 2009 Special Supplement 1-2</p> <p>Haemophilus ducreyi, 26:326</p> <p>Haldol for agitation, 19:233 for alcohol withdrawal syndrome, 16:198</p>	

transtentorial, 21:259, 259f
Heroin, 5:54t
Herpes simplex virus
perianal, 26:326
treatment of, 26:326t
Heterotopic pregnancy, 23:282, 283,
286-287
Hickman catheter, 24:303
HIPAA. *See* Health Insurance
Portability and Accountability Act
Hispanics
children, 17:217
myocardial infarction in, 11:138
History
in back pain, 4:38-39
of cancer, 4:39
of malaria, 2:13
of trauma, 4:38
usefulness of, 11:130t
HLHS. *See* Hypoplastic left heart
syndrome
Homeostasis, 20:245
Hospital discharge, early, 3:17
Hospitalization, psychiatric, 17:217
Hospital-wide processes, 3:18-19, 19t
HSV. *See* Herpes simplex virus
**Human chorionic gonadotropin
(beta-hCG)**, 23:283-285
Human papillomavirus, 26:326-327,
326t
Humidifiers, passive, 24:299
HVS. *See* Hyperviscosity syndrome
Hydration fluids, 8:95
Hydrochloric acid, 24:305t
Hydromorphone, 25:315
Hygiene, anal, 26:322
Hyperacute T waves, 13:161-162,
165f
Hypercalcemia, 8:93-94, 93t
Hyperosmolar therapy, 22:271-272
Hypertension
and coronary artery disease, 11:127t,
129-130, 130-131
parameters in TBI, 21:259t
pulmonary, 18:225f
Hypertonic fluid resuscitation,
21:261
Hypertonic saline, 22:272, 272t
Hyperventilation
prophylactic, 22:271
for severe TBI, 22:271
Hyperviscosity syndrome, 8:94, 94t
Hypocapnea
induced, 21:258
for TBI, 21:258, 259t
Hypoglycemia
distinguishing features of, 16:199t
in infants, 18:224
treatment of, 19:236
Hypokalemia, 16:200

Hypomagnesemia, 16:200
Hypophosphatemia, 16:200
Hypoplastic left heart syndrome,
18:222
diagnostic findings, 18:224t
timing of presentation of, 18:225f
Hypoplastic right heart syndrome,
18:225f
Hypotension
permissive, 1:7
in TBI, 21:261
Hypothermia
accidental, 5:53-63
ancillary testing in, 5:58-59
cardiovascular responses to, 5:56-57
categorization of, 5:54
clothing to prevent, 5:55, 55t
CNS effects of, 5:57
conditions that predispose to, 5:57,
57t
definition of, 5:54
diagnosis of, 5:57-58
disposition in, 5:62
epidemiology of, 5:53-54
history of, 20:246
immersion, 5:54-55
initial ED management of, 5:60-61
mild, 5:54
moderate, 5:54
moderate to severe, with signs of
life, 5:59-60
pathophysiology of, 5:56-57
physiologic changes seen with, 5:56,
56t
prehospital care for, 5:59-60
primary, 5:54
prophylactic, 22:273
psychiatric signs of, 5:58
recognition of, 5:57-58
renal response to, 5:57
rescue of victims with, 5:59
respiratory responses to, 5:57
secondary, 5:54
secondary causes of, 5:54, 54t
severe, 5:54
severe, with no signs of life, 5:60
signs of, 5:58
for TBI, 22:272t, 273
therapeutic, 20:245-254, 22:272t,
273
treatment of, 5:59-62
Hypothermic bump, 5:56
Hypovolemia, 23:285
Hypovolemic resuscitation, 1:7
Hypoxemia, 21:261
Hypoxia
parameters in TBI, 21:259t
treatment of, 19:236
Hysterectomy, 23:287

I
Ibuprofen (Advil, Motrin), 4:42
Ice exposure, 18:228
ICP. *See* Intracranial pressure
Imaging. *See also* specific modalities
acute appendicitis, 6:68-72
of TBI, 21:263-264
Imipenem
for acute appendicitis, 7:82t
management of non-thrombotic
CVC occlusions due to, 24:305t
for neutropenic fever, 8:90, 91t
Imipenem/cilastatin, 8:91t
Immersion hypothermia, 5:54-55
Implantable venous devices, 24:303
In vitro fertilization, 23:281
Indwelling venous access devices,
24:303
case report, 24:303
complications of, 24:303-304
emergency management of, 24:303-
306
indications for, 24:303
pearls and pitfalls, 24:306
Infants
acute cardiovascular events in,
18:221-231
acute issues with CHD in, 18:226-
227
causes of heart failure in, 18:227,
227t
with congenital heart disease,
18:226-227
cyanotic, 18:223-224
heart failure in, 18:227, 227t
neonatal circulation, 18:221
normal ECG parameters from birth
to 1 year, 18:223, 226t
physical examination of, 18:223-224
physiologic changes at birth, 18:221
with SVT, 18:228-229
transport of, 18:226
Infections. *See also* specific diseases
anorectal, 26:325-327
catheter, 24:305-306
CSF shunt infection, 24:294, 295,
297t
prophylaxis against, in severe TBI,
22:273
spinal, 4:46-47
tracheostomy, 24:299-300
uncommon but important, 2:13-23
Inferior MI, 13:163-164
ECG findings, 13:162t
tips for diagnosis by ECG, 13:166t
Infusaport device, 24:303
Inhalants, 17:215
Interleukin-1, 14:176
Interviews

with children and adolescents, 17:210
motivational, 17:215
psychiatric, 17:210

Intoxication

alcohol, 19:236, 239
severe TBI in, 22:275-276

Intracranial pressure monitoring

brain metastasis and, 8:92-93
in severe TBI, 22:271

Intradecidual sign, 23:283, 284f

Intramuscular medications, 19:238

Intraparenchymal hemorrhage, 21:263f, 264

Intrauterine pregnancy, 23:283, 285f

Intrauterine yolk sac, 23:283, 285f

Intravenous access

generalizations, 1:6, 6t
indwelling venous access devices, 24:303-306

Intubation, rapid sequence

in children, 22:270
prehospital, 21:261-262
for severe TBI, 21:262t, 270, 271t

Involuntary treatment, 17:216-217

Ischemia-modified albumin, 14:176

Ischemic cerebrovascular disease

acute sensory changes with, 9:106-107
atypical presentations of, 9:101-110, 10:113-123
case conclusion, 9:109-110
case outcome, 10:121
case presentation, 9:101, 10:113, 121f
clinical presentation of, 9:102-103
diagnostic evaluation of, 10:116-118
management and disposition of, 10:118-121
miscellaneous complaints and syndromes with, 10:116
pathophysiology of, 9:102
vertigo and associated symptoms, 9:103-106

Ischemic heart disease, 14:175

J

J wave, 5:56

Japanese spotted fever, 2:16

Joint Commission, 3:19-20

Journal of the American Medical Association, 14:175-176

Jugular venous saturation, 22:271

K

Katayama fever, 2:17

Kawasaki disease, 11:135

Klebsiella pneumonia, 24:305

Korsakoff's syndrome, 16:201

L

β -Lactamase inhibitors, 15:191

Language

assessment of, 10:115
examination of children for, 17:210, 211t

Laparoscopy

for ectopic pregnancy, 23:286
for heterotopic pregnancy, 23:287

Laparotomy, 23:286

Laposcopic appendectomy, 7:83

Lassa fever, 2:21

Lateral medullary syndrome, 10:117t

Lateral MI, 13:164

ECG findings, 13:162t
tips for diagnosis by ECG, 13:166t

Lavage, heated, 5:61-62

Laxatives, 26:323

LBBB. See Left bundle branch block

Leaking gastrostomy tube, 24:302

Left bundle branch block, 13:165-166, 168t, Insert Figure 6

Left cerebral hemisphere, 9:102, 103f

Left ventricular aneurysm, 13:168-169, 168t

Left ventricular hypertrophy, 13:167, 168t

diagnostics, 18:223
with strain pattern, 13:Insert Figure 8

Left-to-right shunt lesions, 18:222-223

Legal issues, 17:216-217

Leishmaniasis, 2:18-19

Leonard catheter, 24:303

Leucovorin (folinic acid), 23:286

Levofloxacin, 7:82t

LGV. See Lymphogranuloma venereum

Lidocaine, 22:270, 271t

Linezolid, 8:90, 91t

Lipase, 5:59

Liver failure

due to acetaminophen overdose, 25:310, 314, 315-316
fulminant, 25:311t, 314

Locked-in syndrome, 10:116, 117t

Lorazepam

for agitation, 19:240f, 241
for agitation due to alcohol intoxication, 19:239
for agitation/aggression in children, 17:212t
for alcohol withdrawal syndrome, 16:201
for chemical restraint, 19:236-237
oral administration of, 19:238

for therapeutic hypothermia, 20:248

Low back pain

chronic, 4:43-44
diagnostic studies, 4:41
laboratory tests to consider, 4:41
physical examination for, 4:39-40
physical treatments for, 4:43
with radiculopathy or sciatica, 4:44-47
subacute or chronic, 4:43-44

LVH. See Left ventricular hypertrophy

Lymphogranuloma venereum

anorectal infection, 26:325
treatment of, 26:326t

M

Magnesium, 16:204, 206

Magnesium sulfate, 20:250

Magnetic resonance imaging

of acute appendicitis, 6:68-69, 72
of acute appendicitis in pregnant patients, 7:79-80
in back pain, 4:41
diffusion-weighted (DWI), 10:117-118
of ischemic cerebrovascular disease, 10:117-118
of severe TBI, 21:264

Malaria, 2:13-15

diagnosis of, 2:14, 15t
high-risk travel associated with, 2:14, 15t
history of, 2:13
pathology of, 2:13-14
prevention of, 2:15
runway malaria, 2:14
signs and symptoms of, 2:14, 14t
treatment of, 2:14-15

Malaria Hotline, 2:15

Malecot gastrostomy tube, 24:302t

Malignancy

hypercalcemia in, 8:93t
spinal cord compression, 8:90-92

Mandatory reporting laws, 17:217

Manipulation

for back pain, 4:43, 44
spinal manipulative therapy, 4:44

Mannitol

for elevated ICP, 8:92
for severe TBI, 22:271-272, 272t, 274f

Marburg fever, 2:21

Marijuana, 17:215

Massage, 4:44

Massive transfusion, 1:6-7

MCA. See Middle cerebral artery

Mebendazole, 26:328

Meckel's diverticulitis, 7:81

Medicare, 3:18

Medications. *See also* specific medications
for agitation, 19:236
for agitation/aggression in children, 17:211, 212t
for alcohol withdrawal syndrome, 16:205, 206
anti-epileptic drugs (AEDs), 16:201
intramuscular, 19:238
for low back pain, 4:43-44
oral, 19:238
for severe TBI, 22:271-273, 272t
that cause hypothermia, 5:54t

Mediterranean spotted fever, 2:16

Memantine, 16:204

Mental health issues, 17:209-219

Mental status examination, 17:210, 211t

Meperidine, 20:248, 250

Meropenem
for acute appendicitis, 7:82t
for neutropenic fever, 8:90, 91t

Mesenteric adenitis, 7:82

Metastasis, brain, 8:92-93

Metaxalone (Skelaxin), 4:42

Methamphetamines, 11:137-138

Methicillin-resistant *Staphylococcus aureus,* 4:47

Methocarbamol (Robaxin), 4:42

Methotrexate
contraindications to, 23:286, 287t
for ectopic pregnancy, 23:285, 286
for heterotopic pregnancy, 23:287

Methylprednisolone, 22:273

Metronidazole
for acute appendicitis, 7:82t
for *E histolytica,* 26:326t, 327

MI. *See* Myocardial infarction

MIC (Medical Innovations Corporation) KEY® Pee Wee gastrostomy tube, 24:302t

Midazolam
for agitation, 19:240f
for agitation due to alcohol intoxication, 19:239
for agitation/aggression in children, 17:212t
for sedation in therapeutic hypothermia, 20:248, 248t, 250
for TBI, 22:273

Middle cerebral artery, 9:102, 103f

Milrinone, 18:228

Minorities
ethnic, 17:217
myocardial infarction in, 11:131t, 138

Minors. *See also* Adolescents; Children; Pediatric patients
consent for, 17:216

Misoprostol (Cytotec), 4:42

Missed MI
definition of, 11:127
scope of the problem, 11:127-129

Mood and affect, 17:210, 211t

Mood disorders, childhood, 17:214-215

Morphine
acetaminophen interactions, 25:315
for CHF, 18:228
for shivering, 20:248, 248t, 250
for TBI, 22:273
for tet spells, 18:227

Motivational interviewing, 17:215

Motor vehicle safety, 22:269

Motrin (ibuprofen), 4:42

Moxifloxacin, 7:82t

MRI. *See* Magnetic resonance imaging

Multidetector-row CT, 14:178, 179

Multivitamins, 16:204, 205

Murmurs, 18:225f

Muscle relaxants, 4:42-43, 43-44

Musculoskeletal system
chest pain, 12:150-151, 150t
signs of hypothermia, 5:58

Muslims, 17:217

Myocardial infarction
acute MI, 11:125-142, 12:145, 13:167f
anterior, 13:163, 166t
associated symptoms, 11:132
atypical presentations of, 11:131t, 133-136
avoiding acute aortic dissection
misdiagnosis as acute MI, 12:147t
benign conditions confused with, 12:149-151
biomarker limits, 14:173-183
classic signs and symptoms of, 11:132-133
cocaine-induced, 11:136-137
definition of, 14:174
difficult-to-detect on ECG, 13:164-166, 168t
ECG findings, 13:161-171, 162t, 163f
ECG misdiagnoses, 13:161, 164t
Goldman algorithm for, 14:173
inferior, 13:163-164, 166t
lateral, 13:164, 166t
LBBB with, 13:165-166, Insert Figure 6
Level A recommendations for management of, 14:175
methamphetamine-induced, 11:137-138
misdiagnoses, 12:145-158, 13:161, 164t
missed, 11:127, 13:161-171, 164t, 14:173-183
non-cardiac diagnoses, 12:145

non-ST elevation MI (non-STEMI), 11:126-127, 13:163, 14:175
paced rhythm with, 13:166
persistent ST elevation after MI, 13:168-169
posterior, 13:164-165, 166t
RBBB with, 13:166
silent and unrecognized, 11:127
ST elevation MI (STEMI), 11:126-127, 13:162-163, 166-169
thrombolysis in myocardial infarction (TIMI) risk score, 14:178

Myoglobin, 14:174, 175f

Myth of the unnecessary visit, 3:14

N

N-acetylcysteine, 25:312-314, 315

Naproxen (Aleve), 4:42

Nasogastric tube, 5:61

National Institutes of Health Stroke Scale (NIHSS), 9:108t-109t, 10:116, 119t-120t

Native Americans
children and adolescents, 17:211, 217
suicide rates, 17:211

Nausea and vomiting, 9:104

Neglect, child, 17:213

Neisseria gonorrhoea, 26:325-326

Neonatal circulation, 18:221

Neonatal cyanosis, 18:224-226

Neonatal shock, 18:226

Neoplastic cardiac tamponade, 8:96

Neostigmine, 20:250

Neurogenic shock, 1:8-9

Neuroleptics
for agitation/aggression in children, 17:212t
for alcohol withdrawal syndrome, 16:206

Neurologic system
deficits associated with back pain, 4:39
dysfunction in drowning, 15:187, 189t

Neurological examination
for back pain, 4:40
focused, 4:40, 40t

Neuromuscular blocking agents
and hypothermia, 5:54t
for TBI, 22:270

Neuroprotective agents, 22:275

Neutropenia, 8:89

Neutropenic cancer, febrile, 8:89-90
antibiotic regimens for, 8:90, 91t

Neutropenic fever, 8:90

New England Journal of Medicine, 14:175-176

Niacin (vitamin B3), 16:204

NIHSS. *See* National Institutes of Health Stroke Scale
Nitroglycerin, 18:228
NMDA receptor antagonists, 16:204
Nonsteroidal anti-inflammatory drugs (NSAIDs), 4:42, 43-44
Normalization of deviance, 3:20
North Asian tick typhus, 2:16
NSAIDs. *See* Nonsteroidal anti-inflammatory drugs
Numbness, 9:106
Nursing ratios, 3:19
Nutritional support, 16:204, 205
Nystagmus
horizontal, 9:104
vertical, 9:105

O

Obesity
and coronary artery disease, 11:127t, 131-132
definition of, 11:132
Observation units, 3:18
Obsessive-compulsive disorder, 17:214
Obstruction
CSF shunt, 24:294, 296t
gastrostomy tube, 24:302
Obstructive shock, 1:7-8
Occult pneumothorax, 1:9
OCD. *See* Obsessive-compulsive disorder
Ocular strokes, 10:114
Ocular TIA, 10:114
Oculomotor nerve (third nerve), 10:114
Olanzapine (Zyprexa)
for agitation, 19:237, 240f
for agitation/aggression in children, 17:212t
recommended dosage, 19:237t
Older patients. *See* Elderly
Omeprazole (Prilosec), 4:42
Oncologic emergencies, 8:89-98
Operating room (OR) schedule, 3:17
Opiates
acetaminophen interactions, 25:315
for back pain, 4:42, 43-44
Opioid withdrawal, 16:199t
Opioids, 20:248
Oppositional defiant disorder, 17:214
Optical nerve ischemia, 10:115
OR. *See* Operating room
Oral contrast, 6:69-70
Oral medications, 19:238
Organophosphates, 5:54t
Osborn wave, 5:56
Outbreak, swine flu, June 2009
Special Supplement 1-2

Ovarian torsion, 7:82
Overcooling, 20:249-250, 250t
Overdose
acetaminophen overdose, 25:315-316
self-poisoning, 25:310
Overreaction, 4:41t
Overtriage, 1:3
Oxacillin, 24:305t
Oxazepam, 16:201
OXC. *See* Oxcarbazepine
Oxcarbazepine, 16:205
Oxycodone, 25:315
Oxygen
for hypoxia, 19:236
for TBI, 22:270
for tet spells, 18:227
Oxygenation
cerebral, 22:271
in severe TBI, 22:271

P

Paced rhythm, 13:166, 168t
Packed red blood cells
for CHF, 18:228
massive transfusion of, 1:6-7
Pain. *See also* Chest pain
back pain, 4:37-50
tests for non-organic pain, 4:40-41
PALS. *See* Pediatric Advanced Life Support
Pamidronate, 8:93, 93t
Pancuronium, 20:248, 250
Panic attacks, 17:213
Panic disorder, childhood, 17:213
Paralytics, 20:248, 250
Paresthesia, 9:106, 107t
Passive external rewarming, 5:61
Passive humidifiers/heat moisture exchangers, 24:299
Patent ductus arteriosus, 18:222-223
timing of presentation of, 18:225f
Patient flow
four-hour rule for, 3:19
hospital-wide processes that may improve, 3:18-19, 19t
increasing, 3:18-19
process changes within ED that may improve, 3:18-19, 18t
Patient history
in back pain, 4:38-39
of cancer, 4:39
of malaria, 2:13
of trauma, 4:38
usefulness of, 11:130t
Patient safety, 3:15, 16t
Pay-for-performance program, 3:20
PCA. *See* Posterior cerebral artery
PCI. *See* Percutaneous coronary

intervention
PDA. *See* Patent ductus arteriosus
PE. *See* Pulmonary embolism
Pediatric Advanced Life Support (PALS), 15:190
Pediatric Appendicitis Score, 6:67t, 68
Pediatric patients
acetaminophen toxicity in, 25:315
acute cardiovascular events in infants, 18:221-231
deaths from drowning in, 15:186, 187f
delirium in, 17:210
hospitalization rates for, 17:217
major depression in, 17:210
medical illnesses that may present with psychiatric manifestations in, 17:216
mental health issues in, 17:209-219
runaways, 17:213
severe TBI in, 22:275
therapeutic hypothermia for, 20:248
Pediatric Risk of Mortality Score (PRISM), 15:192
Pelvic inflammatory disease, 7:80-81, 82
Penicillin, 26:326t
for drowning, 15:191
for neutropenic fever, 8:91t
Peptostreptococcus/Peptococcus, 26:323
Perception of care, 3:16
Percocet (opiate-acetaminophen), 4:42
Percutaneous coronary intervention, 20:248
Perforation
appendiceal, 6:71f, 7:83
bowel, 26:330
Perfusion studies, 12:151-153
contraindications to, 12:152t
limits of utility, 12:152t
prognostic value, 12:152t
Pericarditis, 13:167-168, 168t
PET. *See* Positron emission tomography
PetCO₂ monitoring. *See* End-tidal carbon dioxide monitoring
Pharmacotherapy. *See also* Medications; specific drugs
for severe TBI, 22:271-273, 272t
Phenobarbital, 16:204
Phenothiazines
for alcohol withdrawal syndrome, 16:204, 206
and hypothermia, 5:54t
Phenylephrine
for severe TBI, 22:270
for tet spells, 18:227

Phenytoin

for alcohol withdrawal syndrome, 16:203, 206
management of non-thrombotic CVC occlusions due to, 24:305t

Phlebotomy, 8:94**Phobias**, 17:214**Phosphate**, 16:204**Physical abuse**

child abuse and neglect, 17:213, 22:270
mandatory reporting laws, 17:217

Physical examination

for anorectal trauma, 26:329
for back pain, 4:39-40
for congenital heart disease, 18:223-224, 224t
for congestive heart failure, 18:227
maneuvers, 9:106t
for myocardial infarction, 11:132-133
for traumatic brain injury, 21:262-263

Physical restraints, 19:236**Physicians**, 3:18**PID**. *See* Pelvic inflammatory disease**Pinworms**, 26:327, 328**Piperacillin/tazobactam**

for acute appendicitis, 7:82t
for neutropenic fever, 8:90, 91t

Plasmodium falciparum, 2:13-14, 14**Plasmodium malaria**, 2:13, 14**Plasmodium ovale**, 2:13**Plasmodium vivax**, 2:13**"Platinum 10 minutes,"** 21:259-262**Pneumonia**, 15:191**Pneumothorax**

occult, 1:9
tension, 1:8

Poisoning, acetaminophen, 25:309-317**Pontine syndrome**, 10:117t**Port-A-Cath device**, 24:303**Positron emission tomography**, 180**Posterior cerebral artery**, 9:102, 103f**Posterior MI**, 13:164-165

ECG findings, 13:162t
tips for diagnosis by ECG, 13:166t

Posttraumatic stress disorder, childhood, 17:214**Potassium**, 16:204**Potassium chloride**, 23:287**Praziquantel (Biltricide)**, 2:18**PRBCs**. *See* Packed red blood cells**Pregnancy**

acetaminophen toxicity in, 25:314-315
acute appendicitis in, 7:78-80
appendix location during, 7:79, 79f, 80f

cesarean scar, 23:289
ectopic, 7:82, 23:281-290, 284f, 288f

H1N1 infection in, October 2009 Special Supplement 1-2
heterotopic, 23:282, 283, 286-287
intrauterine, 23:283, 285f
therapeutic hypothermia in, 20:248
in undefined location, 23:283, 284-285

Pregnancy test, 5:59**Pregnancy-associated plasma protein A**, 14:176**Prescription drug abuse**, 17:215**Prevention**

of acetaminophen toxicity, 25:315
of brain injury, 22:269
Child Abuse Prevention and Treatment Act, 17:217
clothing to prevent hypothermia, 5:55, 55t
of drowning, 15:193
of malaria, 2:15
of traumatic brain injury, 22:269

Prilosec (omeprazole), 4:42**PRISM**. *See* Pediatric Risk of Mortality Score**Privacy**, 17:216**Procainamide**, 18:228, 229**Proctitis**, 26:325**Proctosigmoidoscopy**, 26:330**Progesterone**

in ectopic pregnancy, 23:285
for severe TBI, 22:272t

Promethazine, 19:238**Propofol**

for RSI, 22:270
for sedation in therapeutic hypothermia, 20:248, 248t, 250
for severe TBI, 22:272t, 273

Propranolol

for PTSD in children, 17:214
for tet spells, 18:227

Prostaglandin E1

for congenital heart disease, 18:222
for cyanotic CHD, 18:224, 225-226
for ductal-dependent shock, 18:226

Prostaglandins, 23:287**Proteus**, 4:47**Prothrombin complex**, 22:272t**Pruritus ani**, 26:327-328

causes of, 26:327, 328t

P-selectin, 14:176**Pseudogestational sac**, 23:283, 284f**Pseudomonas**

in acute appendicitis, 6:66
in catheter infection, 24:305
spinal infection, 4:47

Pseudomonas aeruginosa, 24:305**PSS**. *See* Pure sensory stroke**Psychiatric complaints**

children and adolescents with, 17:209
medical illnesses that may present with, 17:216

Psychiatric disorders, childhood, 17:213-215**Psychiatric evaluation**, 17:212**Psychiatric hospitalization**, 17:217**Psychiatric interview**, 17:210**Psychosis**

definition of, 19:235
dementia-related, 19:236
drug-induced, 16:199t
psychotic disorders in children, 17:215

PTSD. *See* Posttraumatic stress disorder**Published reviews**, 14:175-176**Pulmonary atresia**, 18:225f**Pulmonary blood flow**

abnormal, 18:223
alternate, 18:222

Pulmonary dysfunction, 15:187, 189t**Pulmonary embolism**, 12:148-149

acute, 12:148-149, 149t
avoiding misdiagnosis as acute MI, 12:148-149
massive, 12:148
moderate, 12:148
small, 12:148

Pulmonary hypertension, 18:225f**Pulmonary infiltrates**, 15:190-191, 191f**Pure sensory stroke (PSS)**, 9:106, 107**Pyelonephritis**, 7:82**Pyrantel pamoate**, 26:328**Pyrexia**, 21:259t**Q****Q fever**, 2:17**Queensland tick typhus**, 2:16**Quetiapine**, 19:237**R****Raaf catheter**, 24:303**Radiant heat sources**, 5:61**Radiation**, 5:55**Radiation exposure risks**, 14:178**Radiculopathy**, 4:44-47**Radiography**

in back pain, 4:41
in CHD, 18:223, 224t
in CHF, 18:227

Rapid sequence intubation

in children, 22:270
prehospital, 21:261-262
for severe TBI, 21:262t, 22:270,

<p>271t</p> <p>Rasburicase, 8:96</p> <p>Raymond Cestan Chenaid syndrome, 10:117t</p> <p>RBBB. <i>See</i> Right bundle branch block</p> <p>Recombinant factor VIIa (rFVIIa), 22:272t, 275</p> <p>Rectal examination in acute appendicitis, 6:67-68 in anorectal trauma, 26:329 in back pain, 4:40</p> <p>Rectal temperature, 5:58</p> <p>Rectal trauma, 26:328-330</p> <p>Reed, Walter, 2:19</p> <p>Reflexes Brainstem Reflex Score (BRS), 20:252 deep tendon reflexes, 9:106t diving reflex, 15:186-187, 18:228</p> <p>Reflux gastrostomy tube, 24:302 GERD, 12:149-150, 150t</p> <p>Regional disturbance, 4:41t</p> <p>Registration, bedside, 3:17-18</p> <p>Renal dysfunction, 15:187, 189t</p> <p>Rescue breathing, 15:189</p> <p>Residency Review Committee for Emergency Medicine, 3:20</p> <p>Respiratory system in alcohol withdrawal syndrome, 16:201 signs of hypothermia, 5:58</p> <p>Restraint orders, 19:233</p> <p>Restraints, 19:238-239 for agitation, 19:240f, 241 physical, 19:236</p> <p>Resuscitation end points of, 1:9 guidelines for therapeutic hypothermia, 20:248 hypertonic fluid resuscitation, 21:261 hypovolemic, 1:7 for severe TBI, 22:270 volume, 1:6</p> <p>Reverse Trendelenberg, 22:275</p> <p>Rewarming active core rewarming, 5:61 active external rewarming, 5:61 forced air, 5:61 for hypothermia, 5:60 passive external rewarming, 5:61 with radiant heat sources, 5:61 slow, 20:250, 251t techniques for, 5:61-62 for therapeutic hypothermia, 20:250, 251t by warm water immersion, 5:61</p> <p>Rhabdomyolysis, 16:201</p>	<p>Rickettsial diseases, 2:16-17</p> <p>Right bundle branch block, 13:166, 167f</p> <p>Right cerebral hemisphere, 9:102, 104f</p> <p>Right ventricle MI, 13:162t</p> <p>Right ventricular hypertrophy, 18:222, 223</p> <p>Right ventricular outflow obstruction, 18:222</p> <p>Ring sign, 23:283, 285f</p> <p>Risk score calculators, 14:177-178</p> <p>Risperidone (Risperdal) for agitation, 19:237, 240f for agitation/aggression in children, 17:212t oral administration of, 19:238 recommended dosage, 19:237t</p> <p>Ritter, John, 12:146</p> <p>Robaxin (methocarbamol), 4:42</p> <p>Robert Wood Johnson Foundation, 3:20</p> <p>Rocephin (ceftriaxone), 2:18</p> <p>Rocky Mountain spotted fever, 2:16</p> <p>Rocuronium for RSI in children, 22:270 for severe TBI, 22:270</p> <p>Romberg maneuver, 9:106t</p> <p>RSI. <i>See</i> Rapid sequence intubation</p> <p>RU486, 23:287</p> <p>Rumack-Matthew nomogram, 25:312, 312f, 313</p> <p>Runaways, 17:213</p> <p>Runway malaria, 2:14</p> <p>RVH. <i>See</i> Right ventricular hypertrophy</p> <p>S</p> <p>Safet, 3:15-16</p> <p>Safety factors affecting patient safety, 3:15, 16t motor vehicle, 22:269</p> <p>SAH. <i>See</i> Subarachnoid hemorrhage</p> <p>Saline for hypercalcemia in malignancy, 8:93, 93t hypertonic, 22:272, 272t for SIADH, 8:95 for TBI, 22:272, 272t for tet spells, 18:227 for tumor lysis syndrome, 8:96</p> <p>Salmonella paratyphi, 2:18</p> <p>Salmonella typhi, 2:18</p> <p>Salpingectomy for ectopic pregnancy, 23:286 for heterotopic pregnancy, 23:287</p> <p>Salpingostomy, 23:286</p>	<p>Salpingotomy, 23:287</p> <p>Sanchis score, 14:178</p> <p>Scheduling, 3:17</p> <p>Schistosoma haematobium, 2:17</p> <p>Schistosoma intercalatum, 2:17</p> <p>Schistosoma japonicum, 2:17</p> <p>Schistosoma mansoni, 2:17</p> <p>Schistosoma mekongi, 2:17</p> <p>Schistosomiasis, 2:17-18 chronic, 2:18, 18t</p> <p>Schizophrenia, 16:199t</p> <p>Sciatica, 4:44-47</p> <p>Scotch-tape test, 26:327</p> <p>Scrub typhus, 2:17</p> <p>SDH. <i>See</i> Subdural hematoma</p> <p>Search and Rescue, 5:59</p> <p>Seatbelts, 22:269</p> <p>Second-generation antipsychotics for agitation, 19:237 for agitation/aggression in children, 17:212t recommended dosages, 19:237t</p> <p>Sedation for agitation due to alcohol intoxication, 19:239 goal of, 19:236 for RSI, 22:270 for TBI, 22:272-273, 272t for therapeutic hypothermia, 20:248, 248t, 250</p> <p>Sedative-hypnotic withdrawal, 16:199t</p> <p>Seizures prophylaxis, in severe TBI, 22:273 withdrawal, 16:198</p> <p>Selective serotonin-reuptake inhibitors for generalized anxiety disorder in children and adolescents, 17:214 for OCD in children, 17:214 for panic attacks in children, 17:213</p> <p>Self-poisoning overdose, 25:310</p> <p>Sensation abnormal, 9:106, 107t acute sensory changes, 9:106-107 differentiation of, 9:106</p> <p>Sepsis, 8:89, 91t</p> <p>Septic shock, 1:9</p> <p>Serum amyloid A, 14:176</p> <p>Serum cardiac markers, 14:173-174, 176t checking second set before 6 hours, 14:176 clinical guidelines for use, 14:175 newer, 14:176-177 published reviews of, 14:175-176 use of, 14:175-176</p> <p>Serum electrolytes, 5:58</p> <p>Sexually transmitted diseases</p>
--	--	--

<p>anorectal infections, 26:325-327 treatment of, 26:325-327, 326t</p> <p>Sgarbossa criteria, 13:165-166, 168t</p> <p>Shivering, 20:248, 250, 251t</p> <p>Shock cardiogenic, 1:8 considerations for trauma patients, 1:3-5 distributive/septic, 1:9 hemorrhagic/hypovolemic, 1:5 indicators of, 1:3t, 4 neonatal, 18:226 neurogenic, 1:8-9 obstructive, 1:7-8 timing of presentation of, 18:225f tissue hypoperfusion algorithm for, 1:4-5, 4f in trauma patients, 1:1-10</p> <p>Show of concern, 19:236</p> <p>Show of force, 19:236</p> <p>Shunts, CSF, 24:293-295</p> <p>SIADH. <i>See</i> Syndrome of inappropriate antidiuretic hormone</p> <p>Silent and unrecognized MI, 11:127</p> <p>"Silver day," 1:2</p> <p>Single-photon emission computed tomography (SPECT), 180</p> <p>Sitz baths for anal fissures, 26:323 for hemorrhoids, 26:322</p> <p>Sixth nerve (abducens nerve), 10:114</p> <p>Skelaxin (metaxalone), 4:42</p> <p>Sleeping sickness (African trypanosomiasis), 2:20</p> <p>Smoking and coronary artery disease, 11:127t, 129-130, 130-131 and ectopic pregnancy, 23:282</p> <p>Sodium bicarbonate, 24:305t</p> <p>Somali-Muslim refugees, 17:217</p> <p>Sonography, 1:5</p> <p>South Asians, 11:131t, 138</p> <p>Speaking valves, 24:299</p> <p>SPECT. <i>See</i> Single-photon emission computed tomography</p> <p>Speech and language examination, 17:210, 211t</p> <p>Speech complaints, 10:115</p> <p>Spinal cord compression, malignant, 8:90-92</p> <p>Spinal infection, 4:46-47</p> <p>Spinal manipulative therapy, 4:44</p> <p>Spinal stenosis, 4:45</p> <p>Spotted fevers, 2:16</p> <p>SSRIs. <i>See</i> Selective serotonin-reuptake inhibitors</p> <p>ST elevation myocardial infarction (STEMI) anterior, 13:163</p>	<p>definition of, 11:126-127</p> <p>ECG patterns that mimic, 13:166-169, 168t</p> <p>inferior, 13:163-164</p> <p>lateral, 13:164</p> <p>with LBBB, 13:165-166, Insert Figure 6</p> <p>natural evolution of ECG changes in, 13:162-163</p> <p>posterior, 13:164-165</p> <p>tips for diagnosis by ECG, 13:166t</p> <p>ST segment in Brugada syndrome, 13:Insert Figure 9</p> <p>depression of, 13:161, 164t</p> <p>morphology in acute MI, 13:161-162, 164f</p> <p>pathogenesis of changes, 13:162, 165f</p> <p>persistent elevation after MI, 13:168-169</p> <p>Staphylococcus aureus in catheter infection, 24:305 in CSF shunt infection, 24:294, 297t methicillin-resistant, 4:47 spinal infection, 4:47</p> <p>Staphylococcus epidermidis in catheter infection, 24:305 in CSF shunt infection, 24:294, 297t in febrile neutropenic cancer, 8:90</p> <p>Stent placement, recent, 12:153t, 154</p> <p>Steroids for back pain, 4:43 for hemorrhoids, 26:322 and hypothermia, 5:61 for severe TBI, 22:272t, 273</p> <p>Stimulation, 4:41t</p> <p>Stomal complications, 24:303</p> <p>Stool softeners for anal fissures, 26:323 for hemorrhoids, 26:322 for perianal HSV infection, 26:326</p> <p>Streptococcus, 26:323</p> <p>Streptococcus viridans, 6:66</p> <p>Stress childhood acute stress disorder, 17:214 cold stress, 5:54 recent, 12:151-155</p> <p>Stress test, recent, 12:151-153</p> <p>Stroke, 10:113 acute, 10:118-121 NIH Stroke Scale, 9:108t-109t pure sensory stroke, 9:106, 107 syndromes that present with uncommon symptoms, 10:116, 117t</p> <p>Subacute or chronic low back pain, 4:43-44</p> <p>Subarachnoid hemorrhage, 13:168t,</p>	<p>169</p> <p>CT findings, 21:263f, 264</p> <p>Subdural hematoma, 21:263f, 264</p> <p>Submersion dysrhythmia from, 15:187, 189f pulmonary infiltrates after, 15:190-191, 191f</p> <p>Submersion injuries, 15:185</p> <p>Substance abuse, 17:215</p> <p>Succinylcholine, 22:270, 271t</p> <p>Suicidal behavior in children, 17:211-213 in children, adolescents, and young adults, 17:214-215 management and assessment of, 17:212 psychiatric evaluation with, 17:212</p> <p>Suicide risk assessment, 17:212</p> <p>Sulbactam/ampicillin, 7:82t</p> <p>Superior alternating hemiplegia, 10:117t</p> <p>Superior vena cava obstruction, 8:96t, 97</p> <p>Superior vena cava syndrome causes of, 8:96-97, 96t malignancy-related, 8:96-97</p> <p>Supraventricular tachycardia in infants, 18:228-229 management of, 18:228-229</p> <p>Surgery for acute appendicitis, 7:83-84 for CHD, 18:226-227 for CSF shunt malfunction, 24:295 for ectopic pregnancy, 23:286 elective, 3:18 for heterotopic pregnancy, 23:287 for rectal trauma, 26:330</p> <p>SVC syndrome. <i>See</i> Superior vena cava syndrome</p> <p>Swimmer's itch, 2:17</p> <p>Swine flu, June 2009 Special Supplement 1-2</p> <p>Swivel device, 24:299</p> <p>Synchronized electrical cardioversion, 18:228</p> <p>Syncope, 18:225f</p> <p>Syndrome of inappropriate antidiuretic hormone (SIADH), 8:94-95 laboratory abnormalities in, 8:94, 94t</p> <p>Syphilis, 26:326t, 327</p> <p>Systemic blood flow, alternate, 18:222</p> <p>T T wave, hyperacute, 13:161-162, 165f</p> <p>Tachycardia, supraventricular,</p>
---	--	--

<p>18:228</p> <p>Takotsubo syndrome (apical ballooning syndrome), 11:136</p> <p>Tandem gait examination, 9:106t</p> <p>TAPVR. <i>See</i> Total anomalous pulmonary venous return</p> <p>Tazobactam/piperacillin for acute appendicitis, 7:82t for neutropenic fever, 8:90, 91t</p> <p>TBI. <i>See</i> Traumatic brain injury</p> <p>Technology-assisted children, 24:293-307</p> <p>Teenagers. <i>See</i> Adolescents</p> <p>Temperature, 5:60</p> <p>Tenderness, excessive, 4:41t</p> <p>Tension pneumothorax, 1:8</p> <p>Terminology acute MI, 11:126-127 drowning, 15:185-186</p> <p>Tet spells, 18:222, 227</p> <p>Tetracyclic antidepressants, 4:43-44</p> <p>Tetralogy of Fallot (TOF), 18:222 diagnostic findings, 18:224t timing of presentation of, 18:225f</p> <p>TGA. <i>See</i> Transposition of the great arteries</p> <p>TH. <i>See</i> Therapeutic hypothermia</p> <p>Thalamic syndrome, 9:106</p> <p>Therapeutic hypothermia, 20:245-254. <i>See also</i> Hypothermia Aware, Agreement, Adoption, Adherence model, 20:252 complications of, 20:250-252, 251t contraindications to, 20:247-248, 247t epidemiology of, 20:245 evidence for, 20:247-248 history of, 20:246 indications for, 20:247-248, 247t induction phase, 20:248t, 249 institution-specific protocols for, 20:252 maintenance phase, 20:249-250, 250t management of, 20:248-249 pathophysiology of, 20:246-247 patient selection for, 20:247-248, 247t phases, 20:248-250 predicting outcomes with, 20:252 preparation for, 20:248, 248t principle of, 20:246 prolonged, 22:272t recommendations for, 20:247 resuscitation guidelines, 20:248 rewarming phase, 20:250, 251t role of, 20:245 for severe TBI, 22:272t, 273 side effects of, 20:250-252</p> <p>Thermoregulation, 5:55-56</p>	<p>Thiamine (vitamin B1), 16:204, 205, 206</p> <p>Thiamine deficiency, 16:200</p> <p>Third nerve (oculomotor nerve), 10:114</p> <p>Thoracic aortic dissection, 12:145-148</p> <p>Thoracotomy, ED, 1:7</p> <p>Thought process and content examination, 17:210, 211t</p> <p>Threatening behavior, 19:235</p> <p>Thrills, 18:223</p> <p>Thrombolysis in myocardial infarction (TIMI) risk score, 14:178</p> <p>Thrombolytics, 20:248</p> <p>Thrombotic occlusions, 24:304</p> <p>Throtoxicosis, 16:199t</p> <p>Thyroid storm, 19:236</p> <p>TIA. <i>See</i> Transient ischemic attack</p> <p>Ticarcillin, 24:305t</p> <p>Ticarcillin/clavulanate for acute appendicitis, 7:82t for neutropenic fever, 8:91t</p> <p>Tigecycline, 7:82t</p> <p>TIMI risk score. <i>See</i> Thrombolysis in myocardial infarction risk score</p> <p>Tissue hypoperfusion algorithm, 1:4-5, 4f</p> <p>Tissue plasminogen activator (tPA), 10:118</p> <p>TLS. <i>See</i> Tumor lysis syndrome</p> <p>Tobacco use and coronary artery disease, 11:127t, 129-130, 130-131 and ectopic pregnancy, 23:282</p> <p>TOF. <i>See</i> Tetralogy of Fallot</p> <p>Top of the basilar syndrome, 10:116, 117t</p> <p>Topiramate, 16:205, 206</p> <p>Total anomalous pulmonary venous return, 18:223 diagnostic findings, 18:224t timing of presentation of, 18:225f</p> <p>Toxicity acetaminophen, 25:309-317 anticholinergic, 16:199t</p> <p>Toxicology screen, 5:59</p> <p>Tracheocutaneous fistula, 24:301</p> <p>Tracheo-esophageal fistula, 24:300-301</p> <p>Tracheostomy bleeding, 24:300 case presentation, 24:295-298 complications of, 24:299-301 decannulation, 24:299-300 emergency care, 24:295-301 infection of, 24:299-300 obstruction of, 24:299 pearls and pitfalls, 24:301</p>	<p>Tracheostomy adjuncts, 24:299</p> <p>Tracheostomy tube, 24:298, 299, 299f composition of, 24:298-299, 299f, 300t diameter of, 24:299 length of, 24:299 parameters, 24:299</p> <p>Tracheostomy tube adapter, 24:299</p> <p>Transcutaneous electrical nerve stimulation, 4:44</p> <p>Transfer emergency, 1:9 trauma, 1:9-10</p> <p>Transient ischemic attack, 9:101, 10:113 definition of, 9:101-102 ocular TIA, 10:114</p> <p>Transport, infant, 18:226</p> <p>Transposition of the great arteries, 18:222 diagnostic findings, 18:224t timing of presentation of, 18:225f</p> <p>Transtentorial herniation, 21:259, 259f</p> <p>Transvaginal ultrasound, for ectopic pregnancy, 23:282, 283, 283f, 284f, 285f, 286f</p> <p>Trauma anorectal, 26:329-330 and back pain, 4:38 distinguishing features of, 16:199t FAST (Focused Assessment with Sonography for Trauma), 1:5 “golden hour of,” 1:2 rectal, 26:328-330 shock in, 1:1-10 “silver day of,” 1:2</p> <p>Trauma team activation of, 1:3 minimum requirements for highest level of activation, 1:3 role of, 1:2-3</p> <p>Trauma transfer, 1:9-10</p> <p>Traumatic brain injury, 21:257-267, 22:269-278 algorithm for management of, 22:274f anatomy of, 21:258-259 assessment of, 21:260 Brain Trauma Foundation guidelines for, 21:259, 22:271-273 case scenario, 21:257 CT findings, 21:264-265 differential diagnosis of, 21:263 disposition, 22:276 ED management of, 21:262-265, 22:269-271 in elderly, 22:275 epidemiology of, 21:258 history in, 21:262</p>
---	---	---

imaging, 21:263-264, 263f
initial evaluation of, 21:262
initial management goals, 22:270
in intoxicated patients, 22:275-276
laboratory tests, 21:263
management of, 21:262-265,
22:269-271, 271-273, 274f
pathophysiology of, 21:258-259
in pediatric patients, 22:275
pharmacotherapy for, 22:271-273,
272t
physical examination of, 21:262-263
"platinum 10 minutes," 21:259-262
prehospital care for, 21:259-262
prehospital RSI for, 21:261-262,
262t
prevention of, 22:269
primary, 21:258
recommended RSI strategy for,
22:270, 271t
secondary, 21:258
secondary insults to avoid in,
21:258, 259t
severe, 21:258, 262t, 263f, 270,
271t, 22:271-273, 272t, 274f, 276
social impact of, 21:258
therapies for, 22:273-275
treatment of, 21:260-261
Travel, high-risk, 2:14, 15t
Treponema pallidum, 26:327
Triage, 3:18
Tricuspid atresia
diagnostic findings, 18:224t
timing of presentation of, 18:225f
Tricyclic antidepressants, 4:43-44
**Trimethoprim/sulfamethoxazole
(Bactrim)**, 2:18
"Triple Rule Out" scan, 179-180
Trochlear nerve (fourth nerve),
10:114
Troponin I, 14:173
elevation over time, 14:174, 175f
Troponin T, 14:173
elevation over time, 14:174, 175f
Troponins
in acute aortic dissection, 12:147t
in acute PE, 12:149, 149t
elevated, 14:174-175
single, 14:176, 176t
Truncus arteriosus, 18:223
diagnostic findings, 18:224t
timing of presentation of, 18:225f
Trypanosoma brucei, 2:20
Trypanosoma cruzi, 2:20
Trypanosomiasis, 2:20
African (sleeping sickness), 2:20
American (Chagas' disease), 2:20
Tubal ectopic pregnancy, 23:283,
285f
Tumor lysis syndrome, 8:95-96, 95t

Tumor necrosis factor- α , 14:176
Tuning fork examination, 9:106t
**Tylenol Extended Relief™
(acetaminophen ER)**, 25:314
Typhoid fever, 2:18
Typhus, 2:16-17

U

Ulceration, gastric, 24:302-303
Ultrasound
of acute appendicitis, 6:68-69, 72,
72f
of acute appendicitis in children,
7:78-79
of acute appendicitis in pregnancy,
7:79
FAST (Focused Assessment with
Sonography for Trauma), 1:5
transvaginal, for ectopic pregnancy,
23:282, 283, 283f, 284f, 285f, 286f
Undertriage, 1:3
United Kingdom, 3:19
United States, 3:19-20
University of Pennsylvania, 20:252
Unrecognized MI, 11:127
Unstable angina, 11:126
**Urgent Matters (Robert Wood
Johnson Foundation)**, 3:20
Urinary complaints, 4:39

V

Vaccines, H1N1, October 2009 Special
Supplement 1-2
Vagal maneuvers, 18:228
Valacyclovir, 26:326, 326f
Valium (diazepam), 4:42
Valproic acid (Valproate), 16:203,
206
Vancomycin
for CSF shunt malfunction, 24:295
management of non-thrombotic
CVC occlusions due to, 24:305t
for neutropenic fever, 8:90, 91t
for severe TBI, 22:273
Vancouver Chest Pain Rule, 14:178
Vascular cell adhesion molecule,
14:176
Vasopressors, 5:60-61
Vecuronium
for severe TBI, 22:270
for therapeutic hypothermia, 20:248,
250
Venous access, 1:6, 6t
Venous access devices
air embolism with, 24:305
indwelling venous access devices,
24:303-306
partially implantable, 24:303

totally implantable, 24:303
Ventral-pontine syndrome, 10:117t
Ventricular septal defects, 18:222-
223
diagnostic findings, 18:224t
physical examination for, 18:223
timing of presentation of, 18:225f
Versed, 19:240f
Vertigo
central, 9:104, 105-106
with ischemic cerebrovascular dis-
ease, 9:103-106
Vicodin (opiate-acetaminophen),
4:42
Violence
in children, 17:210-211
community, 19:235
factors that predispose patients to,
19:235
Viral hemorrhagic fevers, 2:20-21
Viridans streptococci, 24:305
Visceral leishmaniasis, 2:19
Vision loss, 10:114-115
Vital signs
in back pain, 4:40
in hypothermia, 5:60
Vitamin B1 (thiamine), 16:204, 205,
206
Vitamin B3 (niacin), 16:204
Volume resuscitation, 1:6
Voriconazole, 8:90
VSDs. *See* Ventricular septal defects

W

Waddell signs, 4:40-41, 41t
Wait times, 3:15-16
Wallenberg syndrome, 9:105, 10:117t
Warfarin reversal, 22:272t
Warm water immersion, 5:61
Weber syndrome, 10:117t
Wernicke's encephalopathy, 16:200-
201
West Nile encephalitis, 2:19-20
Wet drowning, 15:186, 188f
Withdrawal
alcohol, 16:198-199
alcohol withdrawal syndrome,
16:197-207
CIWA-Ar (Clinical Institute
Withdrawal Assessment-Alcohol),
16:200, 202f-203f, 203t
opioid, 16:199t
sedative-hypnotic, 16:199t
Withdrawal seizures, 16:198
Wolff-Parkinson-White syndrome,
18:228, 229, 229f
Women's health
acute appendicitis, 7:78-81
ectopic pregnancy, 23:281-290

myocardial infarction, 11:131t, 135-136

Y

Yellow fever, 2:19

Yolk sac, intrauterine, 23:283, 285f

Younger patients (adults), 11:131t, 134

Z

Ziprasidone (Geodon)

for agitation, 19:237, 240f

for agitation due to alcohol

intoxication, 19:239

for agitation/aggression in children, 17:212t

recommended dosage, 19:237t

Zoledronic acid, 8:93, 93t

Zyprexa (olanzapine), 19:237t

Emergency Medicine Reports

2009 Article Titles

JANUARY 1, 2009

Approaching Shock in the Trauma Patient

JANUARY 5, 2009

Uncommon but Important Infectious Diseases

JANUARY 19, 2009

Emergency Department Crowding

FEBRUARY 2, 2009

A Pain in the Back

FEBRUARY 16, 2009

Accidental Hypothermia

MARCH 2, 2009

Acute Appendicitis Diagnosis and Treatment in 2009: Part I

MARCH 16, 2009

Acute Appendicitis Diagnosis and Treatment in 2009: Part II

MARCH 30, 2009

Oncologic Emergencies

APRIL 13, 2009

Atypical Presentations of Ischemic Cerebrovascular Disease, Part I

APRIL 27, 2009

Atypical Presentations of Ischemic Cerebrovascular Disease, Part II

MAY 11, 2009

The Missed Acute Myocardial Infarction in the ED: Strategies to Reduce Risk

MAY 25, 2009

Common Misdiagnoses of Myocardial Infarction

JUNE 8, 2009

Missed Myocardial Infarction: ECG Strategies to Reduce the Risk

JUNE 22, 2009

The Missed MI: Understanding the Limits of Biomarkers and CT Angiography

JULY 6, 2009

Management of the Drowned Patient

JULY 20, 2009

Alcohol Withdrawal Syndrome

AUGUST 3, 2009

Children with Mental Health Issues in the ED

AUGUST 17, 2009

Acute Cardiovascular Events in Infants

AUGUST 31, 2009

Agitation: What Every Emergency Physician Should Know

SEPTEMBER 14, 2009

Therapeutic Hypothermia in the Emergency Department

SEPTEMBER 28, 2009

Maximizing Survival from Severe Traumatic Brain Injury: Part I

OCTOBER 12, 2009

Maximizing Survival from Severe Traumatic Brain Injury: Part II

OCTOBER 26, 2009

Ectopic Pregnancy

NOVEMBER 9, 2009

Emergency Management of the Technology-Assisted Child

NOVEMBER 23, 2009

Acetaminophen Toxicity

DECEMBER 7, 2009

Anorectal Emergencies