

PEDIATRIC

Emergency Medicine

The Practical Journal of Pediatric Emergency Medicine

Reports™

CUMULATIVE INDEX

Volume 12, Numbers 1-12, Pages 1-156

January-December 2007

A

abdominal pain
 foodborne illness, 10:113-114
 intussusception, young child, 4:38-44
 abusive head trauma, 9:101-102
 acromioclavicular dislocation, 11:125-126
 afferent papillary defect, eye trauma, 7:74-75
 airway monitoring, procedural sedation, 5:54-55
 American Society of Anesthesiologists, physical status patient classification, 5:57
 analgesic use, in children, 5:50 (*see also* procedural sedation)
 analgesic, topical, eye examination, 7:76
 anesthetics (*see also* procedural sedation)
 dissociative, procedural sedation, 6:62-63
 ankle injury, sports-related injury, 11:128
 anterior cord injury, sports-related injury, 11:124
 anterior cruciate ligament, sports-related injury, 11:127
 anthrax, skin rash, 8:88-89
 antiemetics, foodborne illness, 10:116
 antihistamines, foodborne illness, 10:116
 apnea, respiratory syncytial virus, 1:3, 1:6-8
 predictors of, 1:7

B

Bacillus anthracis, skin, 8:88-89
 bacteria, ill child returning from Asia, 2:18
 bacterial toxin-mediated illness, preformed, 10:111-112
 barbiturates, procedural sedation, 6:65-67
 barium enema study, intussusception, 4:39
 benzodiazepines, procedural sedation, 6:63-65
 beta-adrenergic agonists, respiratory syncytial virus, 1:6

bilious emesis, malrotation and midgut volvus, 4:44
 bismuth subsalicylate, foodborne illness, 10:116
 bite marks, physical abuse, 9:99
 blistering/vesicular rash, 8:89-91
 bloody stool, young child, intussusception, 4:39
Borrelia spp., Lyme disease, 8:91
 boutonniere deformity, sports-related tendon injury, 11:129
 Brown-Séquard syndrome, sports-related injury, 11:124
 bruises, physical abuse, 9:99
 burner, neck or shoulder injury, 11:124-125
 burns
 chemical, eye trauma, 7:78-79
 intentional injury, child abuse, 9:102
 thermal, eye trauma, 7:78-79

C

cardiovascular parameters, procedural sedation, 5:55
 central cord injury, sports-related injury, 11:124
 central nervous system trauma, child abuse, 9:100-102
 chemical burns, eye trauma, 7:78-79
 child abuse (*see also* physical abuse)
 central nervous system trauma, 9:100-102
 Child Protective Services, 9:105
 documentation of, 9:104
 eye trauma, 7:81
 facial injuries, 9:102-103
 medical legal considerations, 9:105-106
 oral injuries, 9:102-103
 red flags for, 9:104

 starvation, 9:103
 Child Protective Services, child abuse, 9:105
 chloral hydrate, procedural sedation, 6:63
 collateral ligaments, sports-related injury, 11:127
 complex concussion, versus simple, 11:124
 concussion, sports-related, 11:122-123
 classification of, 11:123
 contrast enema in the young child, intussusception, 4:40-41
 cord injury
 anterior, sports-related, 11:124
 central, sports-related, 11:124
 corkscrew appearance, bilious emesis, 4:45
 corneal abrasions, eye trauma, 7:75-76
 corneal foreign bodies, eye trauma, 7:76
 cruciate ligament, posterior, sports injury, 11:127
 cycloplegic agent, eye examination, 7:76

D

dating of skeletal fractures, child abuse, 9:100
 dehydration, foodborne illness, 10:115
 dengue, ill child returning from Asia, 2:15-16
 diaphragmatic fatigue, respiratory syncytial virus, 1:4
 diarrhea
 foodborne illness, 10:113-114, 10:115
 ill child returning from Asia, 2:19-20
 diphenhydramine, apnea, 1:6
 dislocation
 acromioclavicular, 11:125-126
 finger, 11:128-129
 shoulder, 11:126
 dissociative anesthetics, procedural seda-

tion, 6:62-63
distal interphalangeal joint, tendon injuries, 11:129

E

emesis, bilious, 4:44
encephalopathy, respiratory syncytial virus, 1:4
endocrine disorders, abnormal uterine bleeding, 3:29
enema, contrast, intussusception, 4:40-41
enterotoxin, foodborne illness, 10:112
erythema multiforme major, skin, 8:89-90
etomidate, procedural sedation, 6:65, 6:67-68
eye, examination of injured, 7:74-75
eye injuries, perforating, management of, 7:77
eye trauma
 blunt, 7:79-80
 chemical and thermal burns, 7:78-79
 child abuse, 7:81
 corneal abrasions, 7:75-76
 corneal foreign bodies, 7:76
 epidemiology of, 7:73-74
 exam, 7:76
 orbital wall fracture, 7:80
 penetrating ocular injuries, 7:76-78
 retrobulbar hemorrhage, 7:80-81
eyelid laceration, eye trauma, 7:81

F

facial injuries, child abuse, 9:102-103
fasting, preprocedural, procedural sedation and, 5:57
fentanyl, procedural sedation, 6:64, 6:68
fever
 dengue, 2:15-16
 foodborne illness, 10:113-114
 ill child returning from Asia, 2:14-17
 Kawasaki disease, 8:92-93
 Lyme disease, 8:91
 meningococcemia, 8:85-87
 petechiae, 8:87
 respiratory syncytial virus, 1:7
 Rocky Mountain spotted, 8:87-88
 Stevens-Johnson syndrome, 8:89-90
finger injury, sports-related, 11:128-129
fluid therapy, foodborne illness, 10:116
flumazenil, procedural sedation reversal, 6:65, 6:68
 typhoid, 2:16-17
foodborne illness
 abdominal pain, 10:113-114
 antiemetics, 10:116
 antihistamines, 10:116
 clinical features of, 10:112-114

contaminated vehicles for transmission of, 10:111
dehydration, 10:115
diarrhea, 10:113-114, 10:115
differential diagnosis, 10:115-116
epidemiology and identification of, 10:110-111
fluid therapy, 10:116
host invasion, 10:112
neurologic complaints, 10:115, 10:117
opioid agonists, 10:116
surveillance and reporting, 10:117-118
toxin produced in vivo, 10:112
fracture
 orbital wall, 7:80
 physical abuse, 9:99-100

G

gastrointestinal tract, foodborne illness, 10:111
globe trauma, non-open, eye, 7:75

H

hanta virus, 2:21
head injuries, sports-related, 11:122
head trauma, abusive, 9:101-102
hemangiomas, differential diagnosis physical abuse, 9:103
hemophilia A, dysfunctional uterine bleeding, 3:28, 3:32
hemorrhage
 intracranial, in child abuse, 9:101
 retrobulbar, eye trauma, 7:80-81
hepatitis, ill child returning from Asia, 2:20
hip pointer, sports-related injury, 11:126-127
hook worms, Asia travel, 2:18
hyphema, eye trauma, 7:77, 7:78
hypothalamic-pituitary-ovarian dysfunction, uterine bleeding, 3:28, 3:31-32
hypoxia, respiratory syncytial virus, 1:3

I

ill child returning from Asia
 diarrhea, 2:19-20
 fever in, 2:14-17
 hepatitis/jaundice, 2:20
 history of, 2:13-14
 hook worms, 2:18
 leprosy, 2:18
 rash, 2:17-19
 respiratory symptoms, 2:20-21
 tuberculosis, 2:20
 typhoid, 2:16-17
imaging
 bowel obstruction on plain film, 4:42
 contrast enema in the young child, intus-

susception, 4:40-41
 in child abuse, 9:105
 malrotation and midgut volvulus, contrast studies for, 4:45
influenza, avian, 2:21
ingestion, forced, child abuse, 9:103
intracranial hemorrhage, child abuse, 9:101
intraocular pressure evaluation, non-open globe trauma, 7:75
intussusception, young child, 4:38-44

J

jaundice, ill child returning from Asia, 2:20
Jersey finger, sports-related tendon injury, 11:129

K

kaolin and pectin, foodborne illness, 10:116
Kawasaki disease, rash, 8:92-93
ketamine, procedural sedation, 6:62-63, 6:64
knee injury, sports-related injury, 11:126-127

L

laboratory testing
 in child abuse, 9:105
 respiratory syncytial virus, 1:7-8
laceration, eyelid, eye trauma, 7:81
laryngospasm, procedural sedation, 6:69
leprosy, Asia travel, 2:18
ligament, ankle injury, sports-related, 11:128
Lyme disease, 8:91

M

maculopapular rash, 8:87-88
malaria, ill child returning from Asia, 2:15
mallet finger, sports-related tendon injury, 11:129
malrotation and midgut volvulus, vomiting in the young child, 4:44-46
Marcus Gunn pupil, afferent papillary defect, 7:74-75
McMurray's test, meniscus, sports-related injury, 11:127-128
menarche, 3:26
meningococcal infection, 8:85-87
meniscus, sports-related injury, 11:127-128
menorrhagia, abnormal bleeding, 3:28
menstrual cycle, 3:27
menstruation, dysfunctional uterine bleeding, 3:25-26
metacarpophalangeal joint, tendon injuries, 11:129
methohexital, procedural sedation, 6:64
methylxanthines, respiratory virus, 1:6

midazolam, procedural sedation, 6:64
Mongolian spots, differential diagnosis
physical abuse, 9:103
morphine, procedural sedation, 6:64
Mycobacterium leprae, 2:18

N

naloxone
 intussusception, 4:39
 procedural sedation reversal, 6:65, 6:68
nasal secretions, respiratory syncytial virus, 1:8
nausea and vomiting, foodborne illness, 10:113-114, 10:115
neck or shoulder injury, 11:124-125
neurologic complaints, foodborne illness, 10:115, 10:117
nitrous oxide, procedural sedation, 6:65, 6:68

O

ocular injuries, penetrating, 7:76-78
ocular motility, trauma evaluation, 7:75
opioid agonists, foodborne illness, 10:116
oral injuries, child abuse, 9:102-103
orbital wall fractures, eye trauma, 7:80

P

pain management, in children, 5:50
palivizumab, respiratory syncytial virus, 1:6
parasites, ill child returning from Asia, 2:18
penetrating ocular injuries, 7:76-78
pentobarbital, procedural sedation, 6:64
perforating eye injuries, management of, 7:77
petechiae, rash, 8:85-87
physical abuse (*see also* child abuse)
 bite marks, 9:99
 bruises, 9:99
 burns, 9:102
 Child Protective Services, 9:105
 dating of fractures, 9:100
 differential diagnosis, 9:103-104
 epidemiology of, 9:97-98
 hemangiomas, 9:103
 history and physical exam, 9:103
 risks for, 9:98-99
physical status patient classification, American Society of Anesthesiologists, 5:57
polycystic ovarian syndrome, dysfunctional uterine bleeding, 3:29
post concussive syndrome, sports-related, 11:123
posterior cruciate ligament, sports-related injury, 11:127
pregnancy, dysfunctional uterine bleeding, 3:28, 3:32-33

procedural sedation
 alternatives to, 5:51
 analgesics, 6:68
 barbiturates, 6:65-67
 benzodiazepines, 6:63-65
 chloral hydrate, 6:63
 dissociative anesthetics, 6:62-63
 etomidate, 6:67-68
 fentanyl, 6:68
 flumazenil, sedation reversal, 6:68
 ketamine, 6:62-63
 laryngospasm, 6:69
 methohexital, 6:64
 midazolam, 6:64
 monitoring in, 5:54-57
 morphine, 6:64
 nalmeferene, sedation reversal, 6:68
 naloxone, sedation reversal, 6:65, 6:68
 nitrous oxide, 6:65, 6:68
 pentobarbital, 6:64
 preprocedural fasting, 5:57
 preprocedure assessment, 5:56-57
 propofol, 6:67
 providers of, 5:53-54
 reversal agents, 6:68
 safety in ED, 5:51-53
 sedative-hypnotics, 6:63
 terminology, 5:49-50, 5:52
 thiopental, 5:66-67, 6:64
propofol, procedural sedation, 6:65-66, 6:67
pupil
 examination, eye trauma, 7:74
 Marcus Gunn, afferent papillary defect, 7:74-75
purpura, rash, 8:85-87
pustular/ulcerative rash, 8:88-89
pyoderma, 2:18

R

radiographs, intussusception, 4:41
rash
 anthrax, 8:88-89
 ill child returning from Asia, 2:17-19
 Kawasaki disease, 8:92-93
 meningococcal infection, 8:85-87
 purpura, 8:85-87
 pustular/ulcerative, 8:88-89
 Rocky Mountain spotted fever, 8:87-88
 serpiginous, 8:91-92
 ulcerative/pustular, 8:88-89
 vesicular/blistering, 8:89-91
respiratory syncytial virus
 apnea, 1:3, 1:6-8
 predictors of, 1:7
 at-risk infant, 1:6
 beta-adrenergic agonists, 1:6
 diaphragmatic fatigue, 1:4

diphenhydramine, 1:6
encephalopathy, 1:4
home monitoring, 1:8
hypoxia, 1:3
lethargy, 1:4
methylxanthines, 1:6
palivizumab, 1:6
pathophysiology, 1:3
therapy for, 1:5-6
retrobulbar hemorrhage, eye trauma, 7:80-81
Rickettsia rickettsiae, skin, 8:87-88
rickettsial infection, ill child returning from Asia, 2:17
Rocky Mountain spotted fever, 8:87-88

S

SARS, ill child returning from Asia, 2:20-21
second impact syndrome, sports-related, 11:123-124
sedation, *see* procedural sedation
sedative-hypnotics, procedural sedation, 6:63
separation, acromioclavicular, 11:125-126
serpiginous rash, 8:91
severe acute respiratory syndrome, *see* SARS.
sexually transmitted infections, dysfunctional uterine bleeding, 3:28-29, 3:33
shoulder dislocation, 11:126
simple concussion, versus complex, 11:124
skier's thumb, sports-related tendon injury, 11:129-130
skin disorders, rash, emergency department, 8:85-93
slit lamp examination, in older and younger children, 7:75
spinal cord injuries, sport-related injury, 11:124
sports-related injuries
 ankle, 11:128
 Brown-Sequard syndrome, 11:124
 finger, 11:128-129
 initial assessment, 11:122
 knee, 11:126-127
 neck or shoulder, 11:124-125
 sprain, ankle injury, sports-related, 11:128
 starvation, child abuse, 9:103
 Stevens-Johnson syndrome, rash, 8:89-90
 stinger, neck or shoulder injury, 11:124-125
 stool, bloody, intussusception, 4:39
 swinging flashlight test, afferent papillary defect, 7:74-75

T

tear drop pupil, eye trauma, 7:74
tendon injury, sports-related, 11:128-129

thermal burns, eye trauma, 7:78-79
thiopental, procedural sedation, 6:64, 6:66-67
topical analgesic, eye examination, 7:76
toxic epidermal necrolysis, rash, 8:90
toxin produced in vivo, foodborne illness, 10:112
trauma
 central nervous system, child abuse, 9:100-102
 dysfunctional uterine bleeding, 3:28
 eye
 blunt, 7:79-80
 chemical and thermal burns, 7:78-79
 child abuse, 7:81
 corneal abrasions, 7:75-76
 corneal foreign bodies, 7:76
 epidemiology of, 7:73-74
 eyelid laceration, 7:81
 exam, 7:76
 ocular motility, 7:75
 orbital wall fracture, 7:80
 penetrating ocular injuries, 7:76-78
 retrobulbar hemorrhage, 7:80-81
 head, child abuse, 9:101-102
 neck or shoulder, sports-related, 11:124-126
 spinal, sports-related, 11:124
tuberculosis, ill child returning from Asia, 2:20
typhoid fever, ill child returning from Asia, 2:16-17

U

ulcerative/pustular rash, 8:88-89
ulnar collateral ligament of the thumb, skier's thumb, 11:129
uterine bleeding in adolescents
 pathophysiology, 3:26-27
 physiology, 3:26
uterine bleeding, adolescence, dysfunctional
 definition of, 3:27
 diagnosis and treatment, 3:29-33
 differential diagnosis of, 3:27-29
 epidemiology of, 3:27
 evaluation of, in the ED, 3:30
 menstruation, 3:25-26
 sexually transmitted infections, 3:28-29, 3:33
 treatment of, in the ED, 3:31
 von Willebrand disease, 3:28, 3:32

V

vesicular/blistering rash, 8:89-91
virus
 hanta, 2:21
 respiratory syncytial
 apnea, 1:3, 1:6-8
 predictors of, 1:7

at-risk infant, 1:6
beta-adrenergic agonists, 1:6
diaphragmatic fatigue, 1:4
diphenhydramine, 1:6
encephalopathy, 1:4
home monitoring, 1:8
hypoxia, 1:3
lethargy, 1:4
methylxanthines, 1:6
palivizumab, 1:6
pathophysiology, 1:3
therapy for, 1:5-6
visual acuity testing, eye trauma, 7:74
volvulus, midgut, and malrotation, vomiting in the young child, 4:44-46
vomiting, young child, intussusception, 4:39
vomiting, young child, 4:37-38
von Willebrand disease, dysfunctional uterine bleeding, 3:28, 3:32